





//

MADE IN **FRANCE**

Developed and tested by passionate riders, our products are designed and produced largely at our factory in Jargeau, near the city of Orléans. Zéfal has become a real French cultural and industrial heritage which carry on the same philosophy of excellence for several generations.

Thanks to the proximity between the production area and the research department, the design of our products are managed and mastered from start to finish, with attention to detail. For us, this commitment translates to a guarantee of quality and promise to create accessories of excellence with a responsive customer service.

Féfal Team

SHIMANO Nouvelle futuroscope

//

SPONSORING

Every year Zéfal accompanies and supports a selection of sportsmen and women during their training and competition. The main objective of a partnership for Zéfal is to be able to exchange with demanding sportsmen and mechanics in order to improve the accessories that you will use tomorrow.

By working with Lapierre Mavic Unity on World Cup races, the Poissy Triathlon team, Olympic medallists such as Léonie Périault and Dorian Coninx, and the UCI World Tour teams Arkéa-B&B Hôtels and FDJ-Suez, we can benefit from the best feedback to improve our various products, such as bottle cages, water bottles, lubricants, sealants and much more!

These trusting relationships with our partners are also based on shared values such as a passion for cycling, authenticity and determination to succeed in whatever we do.




|| SUMMARY

P. 6	SAFETY
P.7	LIGHTS
P. 13	MIRRORS
P. 18	BIKE BELLS
P. 19	LOCKS
P. 26	HYDRATION
P. 27	BOTTLE CAGES
P. 34	BOTTLES
P. 38	HYDRATION BACKPACKS
P. 40	PROTECTION
P. 41	MTB MUDGUARDS
P. 47	ROAD & GRAVEL MUDGUARDS
P. 49	CITY MUDGUARDS
P. 50	BIKE PROTECTION
P. 54	TRANSPORT
P. 55	FRONT BAGS
P. 59	FRAME BAGS
P. 64	SADDLE BAGS
P. 68	BAG FOR RACKS
P. 71	RACKS
P. 73	SMARTPHONE HOLDERS
P. 74	TRANSPORT TOW ROPE
P. 76	INFLATION
P. 77	MINI-PUMPS
P. 80	CO2 PUMPS
P. 82	PUMP S
P. 84	FLOOR PUMPS
P. 86	MAINTAIN
P. 87	CLEANERS
P. 90	LUBRICANTS
P. 93	REPAIR
P. 98	PREVENT
D 102	MICCELLANEOUC

5





// « DON'T JUST RIDE, GET NOTICED. »

Zéfal returns to the lighting market with topof-the-range, durable products to complete its global range of accessories for cyclists.

Autonomy, reliability and performance were the main components of our specifications when designing this new lighting range.

Rechargeable, adaptable to several types of supports, and waterproof to IPX6 standards, this range of 8 products sets Zéfal firmly on a new standard of quality, in line with our recent launches.

Because the **safety of the cyclist** on his playground should never be an obstacle to his practice, we have designed a **light and robust range**, for all types of use.

Stop being viewed.

Be superviewed!

SUPERVISION F1500

Ref. 1015

// 1500 LUMEN RECHARGEABLE FRONT LIGHT

The Supervision F1500 is a front light for bicycles with a very high luminosity of up to 1500 lumens.

It has been designed for demanding cyclists looking for reliability and performance. With its dual lens and wider field of vision, this light makes it possible to light the way in an unlit night-time environment. It is particularly suitable for mountain bikers and cyclists on night rides.

The Supervision F1500 is IPX6 certified, making it water and impact resistant. Its machined aluminium casing has been designed to cool more quickly. It can be mounted on either our adjustable bracket or the camera mount.

Its central button makes it easy to use, with quick access to the various setting modes, but the remote control supplied also lets you control your lighting without taking your hands off the handlebars.

Mode and battery indicators keep you informed at all times of the current mode and remaining battery life. This light has 5 operating modes: 3 steady and 2 flashing modes.







GREAT AUTONOMY - Up to 65 hours of operation depending on the chosen mode.

EASY ADJUSTMENT - Central button for easy access and remote control.

UNIVERSAL MOUNTING - Removable bracket for handlebar or camera mount.

WATERPROOF - IPX6 certified.

RECHARGEABLE - Recharges via USB-C port (cable not supplied).





- > MATERIAL
 - Aluminium and plastic
- > TYPE OF LIGHTING
 - LED
- > BATTERY TYPE
 - Polymer
- > BATTERY CAPACITY
 - 3.7 V 5000 mAh
- > MODES/FIXED RUNTIME

1500 lm (1hrs40) /800 lm (3hrs15) / 100 lm (19hrs)

> MODES/FLASH DURATION

500 lm (18hrs) / 200 lm (65hrs)

- > WATERPROOFING IPX6
- > RECHARGING
- Via USB-C port (cable not supplied)
- > RECHARGE TIME 2 hrs (5V 2A)
- > ATTACHMENT

Removable handlebar mount

- > DIMENSIONS
 - 105 x 51 x 35 mm
- > **WEIGHT** 232 g

SUPERVISION F800

Ref. 1016

// 800 LUMEN RECHARGEABLE FRONT LIGHT



 $\ensuremath{\textit{GREATAUTONOMY}}$ - Up to 35 hours of operation depending on the mode chosen.

EASYADJUSTMENT - Central button for easy access.

UNIVERSAL MOUNTING - Removable bracket for handlebar.

WATERPROOF - IPX6 certified.

RECHARGEABLE - Recharges via USB-C port (cable not supplied).





SUPERVISION F200

Ref. 1017

// 200 LUMEN RECHARGEABLE FRONT LIGHT



GREAT AUTONOMY - Up to 86 hours of operation depending on the

EASYADJUSTMENT - Central button for easy access.

UNIVERSAL MOUNTING - Removable bracket for handlebar.

WATERPROOF - IPX6 certified.

RECHARGEABLE - Recharges via USB-C port (cable not supplied).





\$

— SUPERVISION F800

- > MATERIAL Plastic and aluminium
- > TYPE OF LIGHTING LED
- > **BATTERYTYPE** Polymer
- > BATTERY CAPACITY 3.7 V 1500 mAh
- > MODES/FIXED RUNTIME
- 800 lm (1hrs30) / 200 lm (4hrs) / 50 lm (16hrs) > **MODES/FLASH DURATION**
- 500 lm (11hrs) / 200 lm (35hrs) > **WATERPROOFING** IPX6
- > RECHARGING

Via USB-C port (cable not supplied)

- > **RECHARGE TIME** 3 hrs (5V 1A)
- > ATTACHMENT

Removable handlebar mount

- > **DIMENSIONS** 105 x 41 x 35 mm
- > **WEIGHT** 167 g

— SUPERVISION F200 —

- > MATERIAL Plastic
- > TYPE OF LIGHTING LED
- > **BATTERYTYPE** Polymer
- > BATTERY CAPACITY 3.7 V 1500 mAh
- > MODES/FIXED RUNTIME 200 lm (2hrs) / 100 lm (4hrs15)
- > MODES/FLASH DURATION 200 lm (18hrs) / 50 lm (86hrs)
- > WATERPROOFING IPX6
- > RECHARGING

Via USB-C port (cable not supplied)

- > **RECHARGE TIME** 2 hrs (5V 1A)
- > ATTACHMENT

Removable hanger attachment

- > **DIMENSIONS** 105 x 41 x 35 mm
- WEIGHT

137 g

SUPERVISION R150

Ref. 1012



// 150 LUMEN RECHARGEABLE REAR LIGHT

The Supervision R150 is a rear light for bicycles with a maximum light output of 150 lumens. Very powerful and with a very wide angle of vision, this light ensures optimum visibility for cyclists on the road, both at night and during the day. It's ideal for ultra-cycling enthusiasts looking for a reliable, high-performance rear light, thanks to its long battery life and high luminous intensity.

With its silicone strap and interchangeable clip, it can be fitted without tools to any part of the frame or on a bag. Its central button makes it easy to use, with quick access to the different setting modes. This light has 5 operating modes: 3 steady and 2 flashing modes

IPX6 certified, the Supervision R150 is water-resistant, so it can continue to be used in rainy conditions. Its long battery life means you'll always be seen on your route.

Available in Supervision F200/R150 #1000 set.





 $\ensuremath{\textit{GREAT AUTONOMY-}}$ Up to 16h of operation depending on the mode chosen.

EASY ADJUSTMENT - Central button for easy access.

UNIVERSAL MOUNTING - Silicone strap to mount on the frame or clip to mount on a bag.

WATERPROOF - IPX6 certification.

RECHARGEABLE - Recharging via USB-C port (cable not supplied).





- > MATERIAL
 - Plastic
- > TYPE OF LIGHTING LED
- > **BATTERY TYPE**Polymer
- > BATTERY CAPACITY 3.7 V 1200mAh
- > MODES/FIXED RUNTIME 80lm (3hrs) / 50lm (5hrs30) / 15lm (16hrs)
- > MODES/FLASH DURATION 150lm (8hrs) / 50lm (16hrs)

- > WATERPROOFING IPX6
- > RECHARGING

Via USB-C port (cable not supplied)

- > **RECHARGE TIME** 2hrs (5V 0.6A)
- > ATTACHMENT

Silicone strap or clip

- > **DIMENSIONS** 78 x 47 x 28 mm
- > **WEIGHT** 70 g

NEW

VISION F20

Ref. 1011

// 20 LUMEN RECHARGEABLE FRONT LIGHT



GREAT AUTONOMY - Up to 90 hours of operation depending on the mode selected

EASYTO ADJUST - Central button for easy access.

COMPACT - Compact size.

WATERPROOF - IPX6 certification.

RECHARGEABLE - Recharging via USB-C port (cable not supplied).



VISION R20

Ref. 1013

// 20 LUMEN RECHARGEABLE REAR LIGHT



 $\ensuremath{\textit{GREATAUTONOMY}}$ - Up to 33 hours of operation depending on the mode chosen.

EASYTO ADJUST - Central button for easy access.

COMPACT - Compact size.

WATERPROOF - IPX6 certification.

RECHARGEABLE - Recharging via USB-C port (cable not supplied).



\$

---- VISION F20 ----

- > MATERIAL Plastic
- > TYPE OF LIGHTING White COB
- > **BATTERY TYPE** Polymer
- > BATTERY CAPACITY 3.7 V 200mAh
- > MODES/FIXED RUNTIME 20lm (3hrs30) / 5lm (14hrs)
- > MODES/FLASH DURATION 20lm (25hrs) / 5lm (65hrs)
- > WATERPROOFING IPX6
- > RECHARGING

Via USB-C port (cable not supplied)

- > **RECHARGE TIME** 2hrs (5V 0,1A)
- > ATTACHMENT

2 o-rings (1x Ø30mm + 1x Ø40mm)

> DIMENSIONS

52 x 28 x 20 mm

> WEIGHT

20 g

----- VISION R20 ----

- > MATERIAL Plastic
- > **TYPE OF LIGHTING** Red COB
- > **BATTERY TYPE** Polymer
- > BATTERY CAPACITY 3.7 V 200mAh
- > MODES/FIXED RUNTIME 20lm (2hrs) / 5lm (8hrs)
- > MODES/FLASH DURATION 20lm (9hrs) / 5lm (33hrs)
- > **WATERPROOFING** IPX6
- > RECHARGING

Via USB-C port (cable not supplied)

- > RECHARGE TIME 2hrs (5V 0,1A)
- > ATTACHMENT

2 o-rings (1x Ø30mm + 1x Ø40mm)

> DIMENSIONS

52 x 28 x 20 mm

- > WEIGHT
 - 20 g

SUPERVISION

Ref. 1000

F200 R150 SET

III SET OF 200 LUMEN FRONT AND 150 **LUMEN REAR LIGHTS**



VISION F20 R20 SET

Ref. 1001

SET OF 20 LUMEN FRONT AND REAR LIGHTS



LIGHT HANDLEBAR MOUNT

Ref. 1005

// BIKE LIGHT BRACKET FOR HANDLEBARS



STABLE - The silicone strap prevents the support from slipping on the handlebar. **UNIVERSAL -** Fits most handlebars.



HELMET BRACKET

Ref. 1006

// BIKE LIGHT BRACKET FOR HELMET



GO PRO COMPATIBLE - Mounts a ZEFAL light or mini camera.



LIGHT REMOTE BUT

Ref. 1007

// REMOTE CONTROL FOR BICYCLE FRONT LIGHTING



- LIGHT HANDLEBAR MOUNT ------ HELMET BRACKET ----- LIGHT REMOTE BUTTON ----

- > MATERIAL Plastic + silicone
- > STRAPLENGTH 100 mm
- > DIMENSIONS

65 x 24 x 55 mm

- **> WEIGHT** 26 g
- > INSTALLATION Ø22- 38 mm
- > MATERIAL Plastic
- > STRAP LENGTH 380 mm + extension 250 mm
- **DIMENSIONS** 60 x 50 x 40 mm
- **> WEIGHT** 90 g

- > MATERIAL Plastic and aluminium
- > VELCRO STRAP LENGTH 80 mm
- > CABLE LENGTH 540 mm
- **DIMENSIONS** 25 x 30 x 15 mm
- > WEIGHT 9 g

ESPION E100 CARGO

Ref. 4772

// HANDLEBAR-MOUNTED MIRROR FOR LONGTAIL AND CARGO BIKES

The Espion E100 Cargo is a wide-angle, handlebar-mounted mirror specifically for Longtail and Cargo bikes. With an extra-large main mirror and a vibration-free stem, this mirror makes it easy to anticipate potential hazards coming from behind. The small additional mirror provides a clear view of the rear of the bike.

On a Longtail or Cargo bike, this means you can keep an eye on your children or any other cargo entering the blind spot of the main mirror's field of vision.

The mirrors are mounted on ball-and-socket joints for optimum, constant adjustment over time, while the pivoting arm optimises positioning. The Espion E100 Cargo is mounted on the left-hand side of the handlebars.



NO BLIND SPOTS - Excellent visibility thanks to its double mirror.

EBIKE FRIENDLY - On handlebars \emptyset 22 mm to \emptyset 25.4 mm.

STABLE AND RIGID MOUNTING - The vision remains clear on tarmac roads. Long-lasting adjustment.

DURABILITY - Unbreakable chrome-plated ABS mirror. Arm swivels in the event of a fall.

PARKING MODE - Mirror can be folded down and repositioned without adjustment.



- > MATERIAL Chrome plated ABS
- > MIRROR Convex
- ORIENTATION Adjustable on mounting axis and 3D adjustable Parking mode
- > SIZE OF THE MIRROR 80 cm²
- > **MOUNTING** on handlebars Ø 22 mm to Ø 25.4 mm
- DIMENSIONS

280 x 210 x 80 mm

> WEIGHT 169 g





ESPION E80

Ref. 4790 - 4791

// HANDLEBAR-MOUNTED MIRROR FOR E-BIKE



EXTRA-LARGE MIRROR - Very high visibility.

EBIKE FRIENDLY - On handlebars Ø 22 mm to Ø 25.4 mm.

STABLE AND RIGID MOUNTING - The vision remains clear on tarmac roads. Long-lasting adjustment.

DURABILITY - Unbreakable chrome-plated ABS mirror. Arm swivels in the event of a fall.

PARKING MODE - Mirror can be folded down and repositioned without adjustment.



ESPION Z56

Ref. 4760L - 4760R

// HANDLEBAR-MOUNTED MIRROR FOR BIKE



E-BIKE FRIENDLY - Compatible electric bike.

LARGE MIRROR - Great visibility.

SOLID MIRROR - The mirrors are made of unbreakable ABS chrome and therefore are not dangerous in the event of a fall.

ADJUSTABLE - Easy to adjust, stable.

FOLDABLE - For storage and protection of the mirror.



\$

ESPION E80 -

- > MATERIAL Chrome plated ABS
- > MIRROR Convex
- > **ORIENTATION** Adjustable on mounting axis and 3D adjustable Parking mode
- > SIZE OF THE MIRROR 80 cm²
- > **MOUNTING** On handlebars Ø 22 mm to Ø 25.4 mm
- > **DIMENSIONS** 240 x 210 x 80 mm
- **> WEIGHT** 143 g

ESPION Z56 -

- > MATERIAL Chrome plated ABS
- > MIRROR Convex
- > **ORIENTATION** Adjustable on mounting axis and 3D adjustable
- > SIZE OF THE MIRROR 56 cm²
- > **MOUNTING** On handlebar Ø 22 mm (left or right depending on version)
- > **DIMENSIONS** 220 x 235 x 42 mm
- > **WEIGHT** 75 g

ZL TOWER 80

Ref. 4746

MIRROR FOR E-BIKE HANDLEBAR END ON ARTICULATED ARM



EXTRA-LARGE MIRROR - Very high visibility.

STABLE AND RIGID MOUNTING - Good rigidity thanks to the glass fibre reinforced polyamide material. The mirror remains stable and does not move while riding.

SOLID MIRROR - The mirrors are made of unbreakable ABS chrome and therefore have no risk of breaking in the event of fall.

REVERSIBLE - Can be attached to either side of the handlebar.



ZL TOWER 56

Ref. 4744

// MIRROR FOR HANDLEBAR END ON ARTICULATED ARM



EBIKE COMPATIBLE - Ideal for electric bikes.

STABLE AND RIGID MOUNTING - Good rigidity thanks to the glass fibre reinforced polyamide material. The mirror remains stable and does not move while riding.

SOLID MIRROR - The mirrors are made of unbreakable ABS chrome and therefore have no risk of breaking in the event of fall.

REVERSIBLE - Can be attached to either side of the handlebar.

LARGE MIROIR - High visibility.



DOOBACK ||

Ref. 4770L - 4770R

II BIKE MIRROR FOR STRAIGHT AND STRAIGHT CURVED HANDLEBAR ENDS



EBIKE COMPATIBLE - Ideal for electric bikes.

LARGE MIRROR - High Visibility.

8 ADJUSTMENT NOTCHES - Ideal for straight and straight curved handlebars.

SOLID MIRROR - The mirrors are made of unbreakable ABS chrome and therefore have no risk of breaking in the event of fall.

FOLDABLE - For storage and protection of the mirror.



‡

– ZLTOWER 80 –

- .
- > MATERIAL Chrome plated ABS > MIRROR Convex
- > **ORIENTATION** Adjustable on mounting axis and 3D adjustable
- > SIZE OF THE MIRROR 80 cm²
- > MOUNTING

On handlebars Ø 22 mm or bar end fitting (Ø 16 mm - Ø 22 mm)

- > **DIMENSIONS** 115 x 185 x 90 mm
- **> WEIGHT** 103 g

——— ZLTOWER 56 —

- > MATERIAL Chrome plated ABS
- > MIRROR Convex
- > **ORIENTATION** Adjustable on mounting axis and 3D adjustable
- > SIZE OF THE MIRROR 56 cm²
- > MOUNTING on handlebars Ø 22 mm or bar end fitting (Ø 16 mm - Ø 22 mm)
- > **DIMENSIONS** 97 x 180 x 90 mm
- **> WEIGHT** 82 g

— DOOBACKII —

- > MATERIAL Chrome plated ABS
- > MIRROR Convex
- > **ORIENTATION** Adjustable on mounting axis and 3D adjustable
- > SIZE OF THE MIRROR 56 cm²
- MOUNTING Bar end fitting (left or right depending on version) 16 mm - 22 mm
- > **DIMENSIONS** 112 x 120 x 23 mm
- > **WEIGHT** 76 g

CYCLOP

Ref. 4710

// UNIVERSAL BIKE MIRROR FOR HANDLEBAR ENDS



REVERSIBLE - Can be attached to either side of the handlebar.

SOLID MIRROR - The mirrors are made of unbreakable ABS chrome and therefore have no risk of breaking in the event of fall.

TRIPLE ADJUSMENT - Orientation tailored to your position.

FOLDING UNDER THE HANDLEBAR - Storage and protection of the mirror.



SPIN 25

Ref. 4742

// MIRROR FOR ROAD BIKE HANDLEBAR ENDS



SPORT USE ON ROAD BIKES - Discret, lightweight and suitable for curved handlebars.

REVERSIBLE - Can be attached to either side of the handlebar.

SOLID MIRROR - The mirrors are made of unbreakable ABS chrome and therefore have no risk of breaking in the event of fall.

TRIPLE ADJUSMENT - Orientation tailored to your position.

FOLDABLE - CAN BE TUCKED AWAY UNDER THE HANDLEBAR - Storage and protection of the mirror.



SPIN 15

Ref. 4740

MIRROR FOR ROAD BIKE HANDLEBAR ENDS



SPORT USE ON ROAD BIKES - Discret, lightweight and suitable for curved handlebars.

REVERSIBLE - Can be attached to either side of the handlebar.

SOLID MIRROR - The mirrors are made of unbreakable ABS chrome and therefore have no risk of breaking in the event of fall.

TRIPLE ADJUSMENT - Orientation tailored to your position.

FOLDABLE - CAN BE TUCKED AWAY UNDER THE HANDLEBAR - Storage and protection of the mirror.



*

— CYCLOP ——

- > MATERIAL Chrome plated ABS
- > MIRROR Convex
- ORIENTATION Adjustable on 3 axes
- > SIZE OF THE MIRROR 46 cm²
- > MOUNTING

Universal bar end fitting (left and right) 16 mm - 22 mm

> DIMENSIONS

65 x 165 x 25 mm

> **WEIGHT** 60 g

- > MATERIAL Chrome plated ABS
- > MIRROR Convex

——— SPIN 25 —

- > **ORIENTATION** Adjustable on 3 axes
- > SIZE OF THE MIRROR 25 cm²
- > MOUNTING

Universal bar end fitting (left and right) 16 mm - 22 mm

> DIMENSIONS

60 x 125 x 22 mm

> **WEIGHT** 57 g

_____ SPIN 15 -

- > **MATERIAL** Chrome plated ABS
- > MIRROR Convex
- ORIENTATION Adjustable on 3 axes
- > SIZE OF THE MIRROR 15 cm²
- > MOUNTING

Universal bar end fitting (left and right) 16 mm - 22 mm

> DIMENSIONS

25 x 110 x 22 mm

> WEIGHT 45 g

SPY 15 Ref. 4715

// MULTI-POSITION MINI **BIKE MIRROR**

E-BIKE FRIENDLY - Universal clip-on mirror diameter 22 mm to 86 mm.

SOLID MIRROR - The mirrors are made of unbreakable ABS chrome and therefore are not dangerous in the event of a fall.

CAN BE MOUNTED IN SEVERAL LOCATIONS -

Adapts to your position on the bike, on the right

DOUBLE ADJUSTMENT - Orientation tailored to your position.







// HELMET MIRROR FOR CYCLISTS



REVERSIBLE - Can be attached to either side of the helmet.

SOLID MIRROR - The mirrors are made of unbreakable ABS chrome and therefore are not dangerous in the event of a fall.

UNIVERSAL MOUNTING - Compatible with all helmets.

DOUBLE ADJUSTMENT AT 360° - Orientation tailored to your position.

QUICK MOUNTING - Easy and quick installation.





SPY 15 —

- > MATERIAL Chrome plated ABS
- > MIRROR Convex
- > **ORIENTATION** Multiple rotating and longitudinal adjustments
- > SIZE OF THE MIRROR 15 cm²
- > MOUNTING

Snap-on mounting with rubber strap 22mm - 86 mm

- > DIMENSIONS 55 x 85 x 35 mm
- > **WEIGHT** 28 g

____ Z EYE ___

- > MATERIAL Chrome plated ABS
- > MIRROR Convex
- > ORIENTATION Multiple rotating and longitudinal adjustments
- > SIZE OF THE MIRROR 9 cm²
- > MOUNTING

Universal with Velcro® straps

DIMENSIONS

70 x 283 x 45 mm

> WEIGHT 22 g

DOOWAH

Ref. 1021 - 1022

// PANT-TIES



QUICK MOUNTING - Easy and quick installation. 2 IN 1 - Pant-tie and reflective strip. **RESISTANT MATERIAL** - Optimum security.









PIING

Ref. 1060A - 1060B

// BIKE BELL



FAST INSTALLATION - Easy without tools. UNIVERSAL MOUNTING - Fits all handlebars on diameter 19 to 27 mm. POWERFUL SOUND - Loud, clear and nice.





CLASSIC BIKE BELL

Ref. 1062 - 1063

// BIKE BELL



SIMPLE AND STYLISH - Vintage design.

POWERFUL SOUND - Loud, clear and nice.

EASY TO USE - Easy to use spring hammer.

UNIVERSAL MOUNTING - Fits all handlebars on diameter 22 to 25.4 mm.

FAST INSTALLATION - Easy without tools.



—— DOOWAH ————— PIING —



> FIXATION

To roll with a Velcro®

> COLORS

Black (#1021)

Fluorescent yellow (#1022)

DIMENSIONS

25 x 380 mm

> WEIGHT 2 x 6 g

- > MATERIAL Aluminium cap -
- Technopolymer fixation > **FIXATION** Clip on handlebar from Ø 19 to 27 mm

> COLOURS

Black (#1060A) - Silver (#1060B)

> DIMENSIONS

> WEIGHT 21 g

60 x 38 x 65 mm

- > MATERIAL Brass bell -Technopolymer support
- > FIXATION

screwed without tools on Ø22 to 25.4mm

> COLOURS

Gold (#1062) - Black (#1063)

> DIMENSIONS

65 x 35 x 55 mm

> WEIGHT 54 g

K-TRAZ U20 Ref. 4930

// HIGH-SECURITY U-LOCK



MAXIMUM SAFETY - Security Level 20 - For areas with a high risk of theft. **CERTIFICATION - Classe SRA.**

KEYLOSS SERVICE - Reproduction of keys in case of loss. Unique serial number.

COATING - Optimal protection of your frame's paintwork.





K-TRAZ U20S

Ref. 4931

Ref. 4905

// HIGH-SECURITY U-LOCK



MAXIMUM SAFETY - Security Level 20 - For areas with a high risk of theft. **CERTIFICATION - Classe SRA.**

KEYLOSS SERVICE - Reproduction of keys in case of loss. Unique serial number.

COATING - Optimal protection of your frame's paintwork.

COMPACT - Less weight and reduced size.





K-TRAZ HOLSTER

// UNIVERSAL BRACKET FOR U-LOCK



UNIVERSAL - Adjustable system allows all sizes of U-lock to be fitted. **PROTECTIVE** - Silicone-coated strap protects frame from scratches and abrasion.

EASYTO INSTALL - Quick and easy to mount and remove.

ROBUST - Supports weights up to 4kg.



K-TRAZ HOLSTER ———

- > **TYPE** U-lock
- > SECURITY LEVEL 20
- > MATERIAL Hardened steel
- > SECTION Ø 18 mm
- > KEY/CODE Keys (3 included)
- > DIMENSIONS 185 x 305 x 48 mm
- > **WEIGHT** 2.550 kg

- > **TYPE** U-lock
- > **SECURITY LEVEL** 20
- > MATERIAL Hardened steel
- > SECTION Ø 18 mm
- > KEY/CODE Keys (3 included)
- > DIMENSIONS 185 x 210 x 48 mm
- > **WEIGHT** 2.150 kg

- > TYPE Universal bracket for U-Lock
- > MATERIAL Polyamide + Silicone **COMPATIBILITY** For U-locks between 120 mm and 230 mm wide
- > **MOUNTING** Velcro
- > MAXIMUM LOAD Up to 4 kg
- > DIMENSIONS 180 x 100 x 80 mm
- > **WEIGHT** 56 g

K-TRAZ U17

// U-LOCK



HIGH SECURITY - Security level 17 - For areas with a high risk of theft. ZSAFE + - Highly powerful quadruple locking system. Delivers a very high degree of protection in risky places.

HIGH RESISTANCE - Tensile and torsion strength. Antitheft and anti drilling. LOSS OF KEY SERVICE - Duplication of keys in case of loss. Unique serial number.

CERTIFICATION - FUB - 2 roues / Sold Secure Gold.



U-LOCK WITH CABLE





Ref. 4947A

Ref. 4947B



K-TRAZ U13 CABLE CODE

Ref. 4944C

// U-LOCK WITH CODE AND CABLE



GOOD SECURITY - Security level 13 - For areas with a moderate risk of theft. **Z SAFE BALL** - Adjustable code locking system. High protection against robbery. 4 DIGIT COMBINATION SYSTEM - 10000 possible combinations. HIGH RESISTANCE - Tensile and torsion strength. Antitheft and anti drilling.



K-TRAZ U13 CABLE

Ref. 4944B

U-LOCK WITH CABLE



Z SAFE - Powerful double locking system. High resistance against impacts and twists. LOSS OF KEY SERVICE - Duplication of keys in case of loss. Unique serial number. CERTIFICATION - FUB - 2 roues / Sold Secure Silver.





– K-TRAZ U17 ———— K-TRAZ U17 CABLE —— K-TRAZ U13 CABLE CODE ——— K-TRAZ U13 CABLE —

- > SECURITY LEVEL 17
- > MATERIAL Hardened
- > **MOUNTING** Ø 14 mm
- > FIXATION Adjustable on down tube -Ø from 20 to 42 mm
- > KEYS (3 INCLUDED)
- > DIMENSIONS 172 x 290 x 40 mm
- > **WEIGHT** 1.47 kg

- > TYPE TYPE U-lock with code and cable
- > SECURITY LEVEL 13
- > MATERIAL

Hardened steel. Flexible twisted steel wire with a tough vinyl cable cover.

- > SECTION Ø 13 mm (U) Ø 10 mm (cable)
- > MOUNTING Adjustable on down tube -Ø from 20 to 42 mm
- > CODE
- > DIMENSIONS 190 x 310 x 60 mm
- > **WEIGHT** 1.15 kg

> TYPE U-lock

- > SECURITY LEVEL 13
- > MATERIAL Hardened steel.
- > SECTION Ø 13 mm (U) Ø 10 mm (cable)
- > MOUNTING Adjustable on down tube -Ø from 20 to 42 mm
- > KEYS (3 INCLUDED)
- > DIMENSIONS 1178 x 310 x 60 mm
- > WEIGHT 1.4 kg

- > SECURITY LEVEL
- steel

- 17 > MATERIAL
- Hardened steel
- > SECTION Ø 14 mm (U) Ø 10 mm (cable)
- > MOUNTING Adjustable on down tube -Ø from 20 to 42 mm
- > KEYS (3 INCLUDED) > DIMENSIONS 172 x 290 x 40 mm
- > WEIGHT 1.47 kg + 0.300 kg

K-TRAZ U13 Ref. 4944A

// U-LOCK



GOOD SECURITY - Security level 13 - For areas with a moderate risk of theft. ZSAFE - Powerful double locking system. High resistance against impacts and twists. HIGH RESISTANCE - Tensile and torsion strength. Antitheft and anti drilling. LOSS OF KEY SERVICE - Duplication of keys in case of loss. Unique serial number. CERTIFICATION - Sold Secure Silver / FUB - 2 roues.





K-TRAZ U131

LONG HANDLE - Easy to attach. **CERTIFICATION - FUB - 1 roue.**



K-TRAZ U13S

COMPACT - Can fits in a pocket. **CERTIFICATION - Sold Secure Silver.**





Ref. 4946

Ref. 4945

K-TRAZ U11

// U-LOCK



BASIC SECURITY - Security level 11 - For areas with a very low risk of theft. **Z SAFE** - Powerful double locking system and high resistance against impacts and twists. **HIGH RESISTANCE** - Tensile and torsion strength. Antitheft and anti drilling. 2 KEYS INCLUDED - In case of loss.



QUICK MOUNTING - Mounting clip.





Ref. 4922A

Ref. 4922B

— K-TRAZ U13 —

> TYPE U-lock

- > SECURITY LEVEL 13
- > MATERIAL
- Hardened steel > SECTION Ø 13 mm
- > **MOUNTING** Adjustable on down tube - Ø from 20 to 42 mm
- > KEYS (3 INCLUDED)
- > DIMENSIONS

180 x 275 x 35 mm S: 180 x 152 x 35 mm L: 177 x 340 x 35 mm

1.1 kg - S: 900g / L: 1.3 kg

_____ K-TRAZ U11 ___

- > TYPE U-lock
- > SECURITY LEVEL 11
- > MATERIAL
 - Hardened steel
- > SECTION Ø 11mm
- > FIXATION Adjustable on down tube - Ø from 26 mm to 32 mm
- > KEYS
- 2 included
- > DIMENSIONS 165 x 287 x 36 mm
- **WEIGHT** 850 g

---- K-TRAZ U11 CABLE ----

- > **TYPE** Antivol en U avec câble
- > SECURITY LEVEL 11
- > MATERIAL

Hardened steel. Flexible twisted steel wire with a tough vinyl cable cover

- > **SECTION** Ø 11 mm (U) -Ø 10 mm (cable)
- > FIXATION

Adjustable on down tube -Ø from 26 mm to 32 mm

- > KEYS (2 INCLUDED)
- > DIMENSIONS

165 x 287 x 36 mm

> **WEIGHT** 1.15 kg

K-TRAZ M18 Ref. 4948

// CHAIN BIKE LOCK WITH KEY PADLOCK



EBIKE LOCK - HIGH SECURITY - Security level 18 - For areas with a high risk of theft. **Z SAFE + -** Highly powerful quadruple locking system. Very high resistance to impact and torsion.

PROTECTIVE COATING - The chain is wrapped in a nylon cover to protect the bike's paintwork. Removable and washable.

3 KEYS INCLUDED - Reproduction of keys in case of loss. Unique serial number. CERTIFICATIONS - FUB - 2 roues / Sold Secure Gold.



K-TRAZ M14

Ref. 4919

// CHAIN LOCK



GOOD SECURITY - security level 14 - For areas with a moderate risk of theft. **Z SAFE** - Powerful double locking system. High resistance against impacts and twists. **PROTECTIVE COATING** - The chain is encased in a fabric to protect the bike's paintwork. LOSS OF KEY SERVICE - Duplication of keys in case of loss. Unique serial number. LONG LENGTH - 120 cm to secure wheel and frame.



K-TRAZ M12 CODE

Ref. 4918

// CHAIN LOCK WITH CODE



GOOD SECURITY - security level 12 - For areas with a moderate risk of theft. **Z SAFE BALL** - Adjustable code locking system. High protection against robbery. 4 DIGIT COMBINAISON SYSTEM - 10000 possible combinations. HIGH RESISTANCE - Tensile and torsion strength. Antitheft and anti drilling.



— K-TRAZ M18 —

- > TYPE Chain
- > SECURITY LEVEL 18
- > **MATERIAL** Hardened Steel
- > **SECTION** Chain link hexagonal section 10 x 10 x 10 mm
- > **MOUNTING** Wraps easily around the frame
- > KEY / CODE Key (3 included)
- > DIMENSIONS 580 x 130 x 50 mm
- > **WEIGHT** 3.25 kg

> **TYPE** Chain Lock

- > SECURITY LEVEL 14
- > MATERIAL Hardened Steel
- > **SECTION** Chain link square section 8 x 8 mm
- > **MOUNTING** Wraps easily around the frame
- > KEY/CODE Key (3 included)
- > DIMENSIONS 120 x 650 x 45 mm
- > WEIGHT 2 kg

- > TYPE Chain lock with code
- > **SECURITY LEVEL** 12
- > MATERIAL Hardened Steel
- > **SECTION** Chain link square section 8 x 8 mm
- > **MOUNTING** Wraps easily around the frame
- > KEY/CODE Code
- > DIMENSIONS 40 x 420 x 35 mm
- **WEIGHT** 1.25 kg

K-TRAZ ZIP3

Ref. 4932

// ZIP-TIE LOCK WITH CODE

K-Traz Zip3 is a self-locking code clamp with a steel blade that secures your bike or accessories such as a helmet or a bag. In town, it's an ideal addition to the main anti-theft device, such as a chain or U lock, to secure the bike's wheels or saddle.

Easy to store in a bag or pocket thanks to its low weight and compact size, it also helps prevent opportunistic theft during very short stops (a quick errand, a break during a ride, etc.).



BASIC SECURITY - Security level 3 - for areas with a very low risk of theft and shortterm shutdown.

3-DIGIT CYLINDER LOCK - 1000 possible combinations.

COMPACT - Fits easily into a pocket.

HIGH RESISTANCE - 11 mm wide flat cable with coated steel blade for high strength.



K-TRAZ M10 Ref. 4917

// CHAIN LOCK



BASIC SECURITY - Security level 10 - For areas with a very low risk of theft.

ZSAFE - Powerful double locking system and high resistance against impacts

TRANSPORT - Wraps easily around the bike frame.

PROTECTIVE COATING - The chain is encased in a fabric to protect the bike's paintwork.

2 KEYS INCLUDED - In case of loss.



Ref. 4916

BASIC SECURITY - Security level 8 - For areas with a very low risk of theft.



—— K-TRAZ ZIP3 ————— K-TRAZ M10 —————— K-TRAZ M8 ———

- > **TYPE** Zip lock
- > **SECURITY LEVEL** 3 > MATERIAL Plastic coated flat steel
- > **SECTION** Section 3.5 x 11 mm length 450 mm
- > KEY / CODE Code
- > DIMENSIONS 135 x 210 x 15 mm
- > WEIGHT 86 g

- > **TYPE** Chain Lock
- > SECURITY LEVEL 10
- > MATERIAL Steel
- > SECTION Chain ring Ø 8 mm
- > **MOUNTING** Wraps easily around the frame
- > KEY / CODE 2 Keys
- > DIMENSIONS 80 x 430 x 27 mm
- > WEIGHT 1.2Kg

- > TYPE Chaîne
- > SECURITY LEVEL 8
- > MATERIAL Steel
- > **SECTION** Chain ring Ø 6 mm
- > **MOUNTING** Wraps easily around the frame
- > KEY/CODE
 - 2 Keys
- > DIMENSIONS 430 x 80 x 27 mm
- > **WEIGHT** 700 g

K-TRAZ F16

Ref. 4917A

// FOLDING LOCK



GOOD SECURITY - Security level 16 - For areas with a moderate risk of theft.

Z SAFE - Powerful double locking system. High resistance against impacts and twists.

 $\emph{HIGH RESISTANCE}$ - Tensile and torsion strength. Antitheft and anti drilling.

LOSS OF KEY SERVICE - Duplication of keys in case of loss. Unique serial number.

LONG LENGTH - 71 cm unfolded.

+ K-TRAZ F16 L

Ref. 4917B

VERY LONG LENGTH - 95 cm unfolded.



K-TRAZ CABLE

Ref. 4913A

// CABLE



TOUGH VINYL COVER - Vinyl coated to protect frame paintwork.

VELCRO® STRAP - Easy to transport using Velcro® fastening.

+ K-TRAZ CABLE L

Ref. 4913B

EXTRA LONG - Extra security for the wheels and saddle.





*

– K-TRAZ F16 *–*

- > **TYPE** Folding lock
- > **SECURITY LEVEL** 16
- > MATERIAL Steel plates > SECTION 22 x 7 mm
- > MOUNTING Screw
- mounting or strap mounting
- > KEY/CODE

Keys (3 included)

> DIMENSIONS

F16 : 62 x 186 x 45 mm F16 L : 80 x 186 x 45 mm

> WEIGHT 1.1 kg / 1.35 kg

— K-TRAZ CABLE —

- > **TYPE** Cable
- > MATERIAL Flexible steel wire with a tough vinyl cable cover
- > **SECTION** Ø 10 mm
- > DIMENSIONS

Cable: 1220 x 60 x 20 mm Cable L: 2200 x 55 x 20 mm

> **WEIGHT** 300 g / 460 g

K-TRAZ (9

Ref. 4916A

// CABLE LOCK WITH KEY

+ K-TRAZ C9 CODE

Ref. 4916B





K-TRAZ C6

Ref. 4914A

// CABLE LOCK WITH KEY

+ K-TRAZ C6 CODE

Ref. 4914B





K-TRAZ C8

Ref. 4915A

// CABLE LOCK WITH KEY

+ K-TRAZ C8 CODE

Ref. 4915B





\$

— K-TRAZ C9 —

AZ C9 K-TRAZ C6 —

- > TYPE Cable lock with key
- > SECURITY LEVEL 9
- MATERIAL Flexible twisted steel wire with a tough vinyl cable cover
- > SECTION Ø 15 mm
- > **MOUNTING** Adjustable on down tube Ø from 18 to 36 mm
- > **KEY / CODE**Key (3 included)

 Code
- > DIMENSIONS

185 x 150 x 45 mm 175 x 150 x 45 mm

> WEIGHT 850 g / 740 g

- > TYPE Cable lock with key
- > SECURITY LEVEL 6
- MATERIAL Flexible twisted steel wire with a tough vinyl cable cover
- > SECTION Ø 12 mm
- > **MOUNTING** Adjustable on down tube Ø from 22 to 30 mm
- > KEY / CODE

Key (2 included) Code

> DIMENSIONS

150 x 170 x 35 mm 150 x 185 x 35 mm

> WEIGHT 410 g / 450 g

- K-TRAZ C8TYPE Cable lock with key
 - > SECURITY LEVEL 8
 - MATERIAL Flexible twisted steel wire with a tough vinyl cable cover
 - > SECTION Ø 12 mm
 - > **MOUNTING** Adjustable on down tube Ø from 18 to 36 mm
- > KEY / CODE

Key (3 included) Code

> **DIMENSIONS** 165 x 130 x 40 mm

165 x 145 x 40 mm

> WEIGHT 540 g / 560 g



HYDRATION

PULSE S2

// SIDE-OPENING BOTTLE CAGE

LIGHTWEIGHT AND STRONG - Only 28 g for optimum bottle stability thanks to high-resistance carbon fibre.

SIDE-OPENING - Easier to introduce and take out the bottle. Right or left-mounted depending on model.

ADJUSTABLE - Wide adjustment range of 52 mm upwards or downwards.

UNIVERSAL CYCLING BOTTLE - Compatible to different bottle diameters from Ø 72 to 76 mm.

COMES WITH SCREWS - 7075T6 light alumium.



Ref. 1755

Ref. 1756

PULSE L2

Ref. 1770

SUPER LIGHTWEIGHT BOTTLE CAGE



SUPER LIGHTWEIGHT - Only 18 g.

BOTTLE CAGE - Highly resistant cabon fiber.

TOP DESIGN - Facilitates the insertion and extraction of the bottle.

UNIVERSAL - Adapts to different bottles from Ø 72 to 76 mm.

COMES WITH SCREWS - 7075T6 light alumium.



——— PULSE S2 —

> MATERIAL

Injected carbon fiber

> COLOR

Black

> WEIGHT

28 g > MOUNTING

Left (ref. 1755) / Right (ref. 1756)

> SCREWS INCLUDED

> DIMENSIONS (LxwxH) 76 x 85 x 151 mm

> Used on the MTB XC World Cup circuit by

PULSE L2 ---

> MATERIAL

Injected carbon fiber

> COLOR Black

> WEIGHT

18 g

> SCREWS INCLUDED > DIMENSIONS (LxwxH)

84 x 82 x 147 mm

MAVIC UNITY

TRI BOTTLE CAGE SET

Ref. 1708

// DOUBLE SADDLE BOTTLE CAGE



UNIVERSAL MOUNTING ON SADDLE RAILS - Fits all standard saddles with round rails.

 $\ensuremath{\textit{EASYACCESS}}$ - Optimum design for easy extraction and insertion of the bottle.

ROBUST - Reinforced fibre-glass material.

ACCESSORIES HOLDERS - 2 holders included for small inflators (like our EZ Big Shot) and a cartridge (16 or 25 g).



PULSE Z2

Ref. 1705

// REVERSIBLE BOTTLE CAGE FOR RIGHT OR LEFT HAND



REVERSIBLE - Makes it easy to access the bottle. Right or left-hand mounting.

ADAPTS TO ALL TYPES OF FRAME - Ideal for eMTB, enduro MTB, gravel.

ADJUSTABLE - Wide adjustment range of 22 mm upwards or downwards.

UNIVERSAL - Compatible with Ø 72 to 76 mm water bottles.

ROBUST - Reinforced fibre-glass material.



\$

TRI BOTTLE CAGE SET

- > MATERIAL
 - Glass fibre-reinforced polyamide
- > COLOURS Black
- > **WEIGHT** 196 g
- > SCREWS INCLUDED
- > DIMENSIONS (L x w x H) 187 x 127 x 147 mm

— PULSE Z2 -

- > MATERIAL
- Glass fibre-reinforced polyamide
- > COLOURS Black
- **> WEIGHT** 40 g
- > SCREWS INCLUDED
- > DIMENSIONS (L x w x H) 84 x 82 x 147 mm

PULSE Z2 & SENSE PRO

Ref. 1557

// REVERSIBLE BOTTLE CAGE AND 500 ML BOTTLE SET



ADAPTS TO ALL TYPES OF FRAME - Ideal for eMTB, enduro MTB, gravel.



PULSE 72 Ref. 1706

// REVERSIBLE BOTTLE CAGE WITH 2 ADDITIONAL HOLDERS



REVERSIBLE - Makes it easy to access the bottle. Right or left-

ADAPTS TO ALL TYPES OF FRAME - Ideal for eMTB, enduro MTB,

 $\ensuremath{\textit{CO2}}\xspace$ HOLDER - For smaller inflators (like our EZ Big Shot) and a cartridge (16 or 25 g).

UNIVERSAL HOLDER - For accessories Ø 20 to 32 mm.

ROBUST - Reinforced fibre-glass material.



Ref. 1707



— PULSE Z2 & SENSE PRO 50 ———

> BOTTLE CAGE MATERIAL

Glass fibre-reinforced polyamide

- > COLOURS Black
- > SCREWS INCLUDED
- > **BOTTLE MATERIAL** Polypropylene
- > CAP MATERIAL

Polypropylene and elastomer. Valve and Nozzle made with food-grade silicon.

- > COLOURS Smoked Black (grey) 1554
- > BPA-FREE OR OTHER TOXINS
- > DIMENSIONS (LxwxH) 84 x 90 x 170 mm
- > WEIGHT 107 g

> MATERIAL

Glass fibre-reinforced polyamide

- > COLOURS Black
- > WEIGHT 62 g
- > STRAP

Nylon with silicone

- > SCREWS INCLUDED
- > DIMENSIONS (LxwxH) 85 x 100 x 147 mm



Ref. 1741 → 1748

// LIGHT BOTTLE CAGE

With the Pulse A2, we offer top quality at the best price. With its sleek, crafted finish, it is lighter than the majority of carbon bottle cages, while offering an excellent hold on the bottle. The elastomer clasp ensures a strong hold on the bottle.



LIGHTWEIGHT - Only 26 g.

ELASTOMER CLASP - Holds the bottle and limits vibrations.

OPTIMAL DESIGN - Easy bottle insertion and removal.

UNIVERSAL CYCLING BOTTLE - Adapts to different bottle diameters.









> MATERIAL

Polyamide and elastomer clasp

- > **WEIGHT** 26 g
- > DIMENSIONS (Lx Wxh) 80 x 86 x 147 mm
- > COLOURS

White/black (1747)

Black/black (1741)

Red/black (1742)

Yellow/black (1744)

Orange/black (1746)

Gray/black (1743)

Blue/black (1745)

Dide/ black (1/45)

Purple/black (1748)

PULSE B2

Ref. 1780 → 1789

// BI-MATERIAL BOTTLE CAGE



LIGHTWEIGHT - Only 30 g.

BI-MATERIAL - Resistant material at its centre. Light and flexible on the outside.

OPTIMAL DESIGN - Easy bottle insertion and removal.

UNIVERSAL - Adapts to different bottle

CUSTOM - Available in 10 colours to match your bike



BOTTLE CAGE MOUNT

Ref. 1795

// BOTTLE CAGE WITH BUILT-IN UNIVERSAL MOUNT



E-BIKE FRIENDLY - For bikes that have no studs for bottle cages.

UNIVERSAL MOUNT - Can be fitted on handlebars, stems or seat posts. Ø 22 à 34 mm.

ADJUSTABLE MOUNT - Possible to adjust it before mounting.

BI-MATERIAL BOTTLE CAGE - Resistant material at its centre. Light and flexible on the outside.

OPTIMAL DESIGN - Easy bottle insertion and removal.



‡

— PULSE B2 —

> MOUNTING SYSTEM MATERIAL Bi-component polyamide

> COLOURS

Black (1780), Grey (1781), White (1782), Blue (1783), Cyan Blue (1784), Green (1785), Neon Yellow (1786), Orange (1787), Pink (1788), Red (1789)

- > **WEIGHT** 30 g
- > SCREWS INCLUDED
- > **DIMENSIONS** (L x w x H) 80 x 80 x 145 mm

———— BOTTLE CAGE MOUNT —

> MOUNTING SYSTEM MATERIAL

Technopolymer

> **BOTTLE CAGE MATERIAL**Bi-component polyamide

- > COLOURS
 Black
- **WEIGHT** 80 g
- > DIMENSIONS (L x w x H) 145 x 80 x 145 mm

ZADVENTURE CAGE

Ref. 1796

// UNIVERSAL BOTTLE CAGE



 $\mbox{\it UNIVERSAL MOUNTING}$ - On frame or fork, thanks to the 4 fixing holes allowing a great adaptability.

COMPATIBILITY - Accepts bottles from Ø 66 to 92 mm.

SECURITY - Tightening by wide Hypalon hook and loop strap.

ROBUST - Fiber reinforced polypropylene support.

LIGHTNESS - CAD and openwork design validated by digital simulation.



GIZMO

Ref. 1083

// UNIVERSAL BOTTLE CAGE MOUNTING SYSTEM



UNIVERSAL MOUNTING - For Ø from 15 to 75 mm.

 $\ensuremath{\textit{STABLE}}$ AND $\ensuremath{\textit{SECURE}}$ - Anti-slip function and reinforced protection thanks to the soft wristband.

E-BIKE FRIENDLY - For bikes that have no studs for bottle cages.





\$

Z ADVENTURE CAGE –

> MATERIAL

Injected support in fibre reinforced polypropylene and Hypalon strap

- > COLOURS Black
- > **WEIGHT** 88 g
- > SCREWS INCLUDED
- > DIMENSIONS (L x w x H) 81 x 94 x 230 mm

MATERIAL Polypropylene and thermoplastic elastomer / steel screws and nuts

- GIZMO -

- > **WEIGHT** 2 x 25 g
- > **FOR TUBE** Ø 15 mm > 75 mm
- > SCREWS INCLUDED
- > DIMENSIONS (Lx w x H) 40 x 143 x 18 mm

PULSE FULL ALU

Ref. 1730 → 1732

// ALUMINIUM BOTTLE CAGE



ALL ALUMINIUM - Durability, lightness and high corrosion resistance.

GOOD HOLD - The bottle is well maintained on the bike.



VINTAGE

Ref. 1720

// VINTAGE BOTTLE CAGE



ZÉFAL KNOW-HOW - Experience since 1880. **GOOD HOLD** - The bottle is well maintained on the bike.



ALU PLAST 124

Ref. 1240A → 1240G

WIRE ALUMINIUM BOTTLE CAGE



IN ALUMINIUM AND TECHOPOLYMER - The right combination between rigidity and flexibleness.

T-SHAPED DESIGN - For a secure hold of the bottle on the bike.



- PULSE FULL ALU ------- VINTAGE -----

——— ALU PLAST 124 ————

> MATERIAL

Aluminium

> COLOURS

Silver (1730), Black (1731), White (1732)

- > WEIGHT 40 g
- > DIMENSIONS (LxwxH) 85 x 85 x 117 mm

> MATERIAL

Chromed steel with vegetable leather cover

> COLOURS

Silver and brown

- > WEIGHT 80 g
- > DIMENSIONS (LxwxH) 77 x 91 x 150 mm

> MATERIAL

Aluminium

> COLOURS

Black (1240A), Red (1240B), Blue (1240C), Yellow (1240D), Orange (1240E), White (1240F), Silver (1240G)

- > WEIGHT
 - 40 g
- > DIMENSIONS (LxwxH) 80 x 90 x 152 mm

MAGNUM PRO

Ref. 1640 - 1641

// PREMIUM HIGH CAPACITY BOTTLE



PRO-CAP - Double-closure system for 100% watertight transport.

SOFT NOZZLE - Pleasant feeling in the mouth.

GRIP RING - Over-moulded cover for better grip on the bottle.

 $\ensuremath{\textit{ODOURLESS\,MATERIAL}}$ - The polypropylene material keeps water clean and pure.

BPA-FREE - No Bisphenol-A, phtalates or other toxins used.



MAGNUM



// HIGH CAPACITY BOTTLE



SOFT-CAP - Easy and convenient to use.

SOFT NOZZLE - Soft nozzle for a pleasant sensation while drinking.

HIGH CAPACITY BOTTLE - 975 ml.

ODOURLESS MATERIAL - The polypropylene material keeps water clean and pure.

BPA-FREE - No Bisphenol-A, phtalates or other toxins used.



\$

- MAGNUM PRO -

- > MATERIAL Polypropylene
- > CAP MATERIAL

Polypropylene and elastomer. Valve and Nozzle made with food-grade silicon.

- > CAP Pro-Cap
- > COLOURS

Smoked black (grey /blue) 1640, White (black/red) 1641

- > CAPACITY 975 ml / 33 oz
- > **DIAMETER** 76 mm
- > **WEIGHT** 92 g
- > DIMENSIONS (LxwxH) 78 x 78 x 270 mm
- > BPA-FREE OR OTHER TOXINS

- MAGNUM -

- > MATERIAL Polypropylene
- > CAP MATERIAL

Polypropylene / Nozzle made with food-grade silicon

- > CAP Soft-Cap
- > **COLOURS** Translucent
- > CAPACITY 975 ml / 33 oz
- > **DIAMETER** 76 mm
- **WEIGHT** 85 g
- > **DIMENSIONS** (L x w x H) 78 x 78 x 263 mm
- > BPA-FREE OR OTHER TOXINS

SENSE PRO 50

Ref. 1554 → 1557

// 500 ML PREMIUM BOTTLE



ADAPTS TO ALL TYPES OF FRAME - Designed for frames missing access (electric MTB, enduro MTB, Gravel).

PRO-CAP - Double-closure system for 100% watertight transport.

SOFT NOZZLE - Pleasant feeling in the mouth.

ODOURLESS MATERIAL - The polypropylene material keeps water clean and pure.

BPA-FREE - No Bisphenol-A, phtalates or other toxins







SENSE PRO 65 & 80

// PREMIUM BOTTLE



PRO-CAP - Double-closure system for 100% watertight transport.

SOFT NOZZLE - Pleasant feeling in the mouth.

GRIP RING - Over-moulded cover for better grip on the bottle.

ODOURLESS MATERIAL - The polypropylene material keeps water clean and pure.

BPA-FREE - No Bisphenol-A, phtalates or other toxins used.







SENSE PRO 50 -

——— SENSE PRO 65 —

> MATERIAL Polypropylene

> CAP MATERIAL

Polypropylene and elastomer. Valve and Nozzle made with food-grade silicon.

- > CAP Pro-Cap
- > **COLOURS** Smoked Black (grey) 1554, Smoked Black (green) 1555, Smoked Black (blue) 1556
- > CAPACITY 500 ml / 17 oz
- > **DIAMETER** 76 mm
- **> WEIGHT** 67 g
- > DIMENSIONS (LxwxH) 78 x 78 x 163 mm
- > BPA-FREE OR OTHER TOXINS

> MATERIAL

Polypropylene

> CAP MATERIAL

Polypropylene and elastomer. Valve and Nozzle made with food-grade silicon.

- > CAP Pro-Cap
- > COLOURS Black (copper/grey) 1455 Smoked black (black/grey) 1456 / Transluicide (gray/dark green) 1457 / White (double gray) 1458
- > CAPACITY 650 ml / 22 oz
- > **DIAMETER** 74 mm
- > **WEIGHT** 79 g
- > DIMENSIONS (LxwxH) 76 x 76 x 204 mm
- > BPA-FREE OR OTHER TOXINS

—— SENSE PRO 80 —

> COLOURS

Black (copper/grey) 1465 / Smoked black (black/grey) 1466 / Transluicide (gray/ dark green) 1467 / White (double grey) 1468

- > CAPACITY 800 ml / 27 oz
- > **DIAMETER** 74 mm
- > **WEIGHT** 85 g
- > DIMENSIONS (LxwxH) 76 x 76 x 240 mm
- > BPA-FREE OR OTHER **TOXINS**

SENSE SOFT NO MUD 65 & 80

// PERFORMANCE BIKE BOTTLE WITH VALVE **PROTECTION**



SOFT-CAP - Easy and convenient to use.

SOFT NOZZLE - Pleasant feeling in the mouth.

MUD CAP - Keeps your drink pure.

EASY CLEANING - Removable valve and bottle with wide

ODOURLESS MATERIAL - The polypropylene material keeps water clean and pure.

BPA-FREE - No Bisphenol-A, phtalates or other toxins used.







Ref. 157P-Q-R

Ref. 155P-Q-R

SENSE SOFT 65 & 80

// PERFORMANCE BIKE BOTTLE



SOFT-CAP - Easy and convenient to use.

SOFT NOZZLE - Pleasant feeling in the mouth.

EASY CLEANING - Removable valve and bottle with wide opening.

ODOURLESS MATERIAL - The polypropylene material keeps water clean and pure.

BPA-FREE - No Bisphenol-A, phtalates or other toxins used.







155K-L-M-N

157K-L-M-N





— SENSE SOFT NO MUD —

- > MATERIAL Polypropylene
- > CAP MATERIAL

Polypropylene / Nozzle and mud cap made with foodgrade silicon.

- > CAP Soft-Cap
- > COLOURS 65 = 155 / 80=157

Smoked Black (grey / black) 155P, Transparent (green / grey) 155Q, Blanc (pink / grey) 155R

- > CAPACITY 800 ml / 27 oz 650 ml / 22 oz
- > **DIAMETER** 74 mm
- **WEIGHT** 87 g / 80 g
- > DIMENSIONS (LxwxH)

76 x 76 x 244 mm - 76 x 76 x 210 mm

> BPA-FREE OR OTHER TOXINS

SENSE SOFT -

- > MATERIAL Polypropylene
- > CAP MATERIAL

Polypropylene / Nozzle and mud cap made with food-grade silicon

- > CAP Soft-Cap
- > COLOURS 65 = 155 / 80 = 157 Black (155K), Translucent Blue (155L), Olive Green (155M), Neon Yellow (155N)
- > CAPACITY 800 ml / 27 oz 650 ml / 22 oz
- > **DIAMETER** 74 mm
- > **WEIGHT** 78 g 71 g
- > DIMENSIONS (LxwxH) 76 x 76 x 240 mm - 76 x 76 x 206 mm
- > BPA-FREE OR OTHER TOXINS

ARCTICA PRO 55 & 75

// INSULATED BOTTLE



MULTI LAYER INSULATED SYSTEM - High performance insulated system for keeping the temperature over 2.5 hrs.

PRO-CAP - Double-closure system for 100% watertight transport.

SOFT NOZZLE - Pleasant feeling in the mouth.

ODOURLESS MATERIAL - The polypropylene material keeps water clean and pure.

BPA-FREE - No Bisphenol-A, phtalates or other toxins used.







Ref. 1667 → 1669

Ref. 1677 → 1679

ARCTICA 55 & 75

// INSULATED BOTTLE



MULTI LAYER INSULATED SYSTEM - High performance insulated system for keeping the temperature over 2.5 hrs.

ODOURLESS MATERIAL - The polypropylene material keeps water clean and pure.

BPA-FREE - No Bisphenol-A, phtalates or other toxins used.









Ref. 1660 → 1665

Ref. 1670 → 1675

*

- ARCTICA PRO -

- > MATERIAL Polypropylene
- > CAP MATERIAL Polypropylene / Nozzle and mud cap made with food-grade silicon
- > CAP Pro-Cap
- > COLOURS 55: Blue (1667), Black (1668), Red (1669)
 75: Blue (1677), Black (1678), Red (1679)
- > INSULATING MATERIAL Outside: metallic PET and polyethylene foam / Inside: white PE
- > INSULATION 2h30
- > MAXIMUM BEVERAGE T° 80°C 176°F max
- > CAPACITY 550 ml / 18 oz 750 ml / 25 oz
- > **DIAMETER** 74 mm
- **WEIGHT** 110 g 134 g
- > **DIMENSIONS (LxwxH)** 76 x 76 x 216 mm - 76 x 76 x 268 mm
- > BPA-FREE OR OTHER TOXINS

- ARCTICA -

- > MATERIAL Polypropylene
- CAP MATERIAL Polypropylene / Nozzle and mud cap made with food-grade silicon
- > **CAP** Grip-Cap
- COULEURS Black (1660/1670), Blue (1661/1671), Carabbean green (1662/1672), Red (1663/1673), Orange (1664/1674), Light pink (1665/1675)
- > INSULATING MATERIAL Outside: metallic PET and polyethylene foam / Inside: white PE
- > INSULATION 2h30
- > MAXIMUM BEVERAGE T° 80°C 176°F max
- > CAPACITY 550 ml / 18 oz 750 ml / 25 oz
- > DIAMETER 74 mm
- **WEIGHT** 93 g 116 g
- > **DIMENSIONS (LxwxH)** 76 x 76 x 210 mm - 76 x 76 x 260 mm
- > BPA-FREE OR OTHER TOXINS

ZHYDRO ENDURO

Ref. 7098

// 9L HYDRATION PACK WITH 3L RESERVOIR

The Z Hydro Enduro is the ideal hydration bag for day-long rides. It features a high-performance 3-litre water bag with a wide opening for easy filling and cleaning. Its silicone bite nozzle will ensure a comfortable and safe hydration for throughout your ride. This high-capacity backpack is ideal for carrying all the gear and equipment you need for mountain biking. You can store your tools (pump, multi-tools, tyre levers, inner tubes, etc.), personal belongings (smartphone, key) or nutrition in separate pockets. You'll also enjoy the modularity of the expandable net for clothes and protective equipment, and the special helmet attachment system. Equipped with a waist belt, chest strap and 3D foam reinforcements, it adapts to most body shapes, offering perfect stability, even on the roughest terrain.



VOLUME - 3L PEVA water bladder without Bisphenol-A, phthalates or other toxins for clean and pure water.

RESISTANT MATERIALS - 300D polyester fabric and rinston

CAPACITY STORAGE - Organised & modular. 1 separate pocket for water bladder + 1 main pocket with 3 mesh inner compartments + 1 padded pocket for smartphone or glasses + 1 easy-access XL zipped outside pocket + 1 external stretch net + 1 special helmet attachment system.

CONFORTABLE - Folder and straps in 3D foam.

UNIVERSAL - Adjustable chest strap, waist strap and shoulder straps to suit different body shapes for perfect fit.









- > CAPACITY BAG 9L with 3L water bladder
- > MATERIAL BAG Polyester / Ripstop Nylon fabric
- > CAPACITY STORAGE 5 with 3 zipped pockets
- > COLOURS Black
- > STRAPS Adjustable chest strap, waist strap, shoulder straps
- > **DIMENSIONS (Lxwxh)** 460 x 240 x 120 mm
- > **WEIGHT** 550 q
- > CAPACITY RESERVOIR 3 L
- > MATERIAL RESERVOIR PEVA
- > HOSE LENGTH 1 m
- > **WEIGHT** 130 g
- > BPA-FREE OR OTHER TOXINS
- > **DIMENSIONS (LxW)** 435 x 200 mm



ZHYDRO X Ref. 7097

6L HYDRATION PACK WITH 2L RESERVOIR



VOLUME - 2L PEVA water bladder without Bisphenol-A, phthalates or other toxins for clean and pure water.

RESISTANT MATERIALS - 300D polyester fabric and ripstop.

CAPACITY STORAGE - Organised. 1 main pocket with divider for water bladder and mesh compartments + 1 padded pocket for smartphone or glasses + 1 easy-access external zipped pocket + 1 external stretch mesh.

CONFORTABLE - Folder and straps in 3D foam.

UNIVERSAL - Adjustable chest strap, waist strap and shoulder straps to suit different body shapes for perfect fit.



Z HYDRO RACE

Ref. 7099

3L HYDRATION PACK WITH 1.5L RESERVOIR



VOLUME - 1.5 L PEVA water bladder without Bisphenol-A, phthalates or other toxins for clean and pure water.

LIGHTWEIGHT AND DURABLE - Ripstop polyester fabric.

BREATHABLE - Folder and straps in 3D mesh for good moisture.

CAPACITY STORAGE - Minimalist. 1 water bladder pocket separately + 1 front pocket XL, padded, secure and easy to access.

UNIVERSAL - Adjustable chest strap and shoulder straps to suit different body shapes for perfect fit.



— 7 HYDRO XC. -

- > CAPACITY BAG 6L with 2L water bladder
- > MATERIAL BAG Polyester / Ripstop Nylon fabric
- > CAPACITY STORAGE 4 with 3 zipped pockets
- > COLOURS Black
- > STRAPS Adjustable chest, waist and shoulder straps
- > **DIMENSIONS (Lxwxh)** 400 x 220 x 110 mm
- > **WEIGHT** 370 a
- > CAPACITY RESERVOIR 2 L
- > MATERIAL RESERVOIR PEVA
- > HOSE LENGTH 1 m
- > **WEIGHT** 120 g
- > BPA-FREE OR OTHER TOXINS
- > **DIMENSIONS (LxW)** 390 x 180 mm

MAGNUM —

- > CAPACITY BAG 3L with 1.5L water bladder
- > MATERIAL BAG Polyester / Ripstop Nylon fabric
- > CAPACITY STORAGE 2 with 1 zipped pocket
- > COLOURS Black
- > STRAPS Adjustable chest strap
- > **DIMENSIONS (Lxwxh)** 370 x 180 x 60 mm
- **WEIGHT** 174 a
- > CAPACITY RESERVOIR 1.5 L
- > MATERIAL RESERVOIR PEVA
- > HOSE LENGTH 1m
- **WEIGHT** 115 g
- > BPA-FREE OR OTHER TOXINS
- > **DIMENSIONS (LxW)** 360 x 175 mm



PROTECTION

DEFLECTOR FM 40

Ref. 2504

MTB FRONT MUDGUARD

The Deflector FM40 mudguard can be fitted to the front of a mountain bike or electric bike to effectively protect the bike and rider from water and mud splashes. The self-gripping, rubberised straps make fitting simple, effective and universal. Its elegant, discreet design blends in perfectly with the aesthetics of your bike, without compromising its stability.

The Deflector FM40 is particularly suitable for wide tyres up to 3.0'. It is made from impact-resistant engineering plastic. The side deflectors offer unique protection for the fork tubes against dirt. Its length and stability mean you can ride with peace of mind, whatever your riding style and whatever the weather conditions. The mudguard can also be fixed-mounted using an adapter for forks with threaded holes in the rear of the fork bridge. Two optional models are available: the FZ01 compatible with Fox forks from 2021, Suntour, X-Fusion, Öhlins and Marzocchi (with Fox chassis), and the RZ01 for Rockshox Zeb, Domain (2021) and Lyrik, Pike (from 2023), Recon, 35 Gold and Silver.



for wide tyres up to 3.0". STABLE AND ROBUST - Thanks to its technical plastic

construction and three fixing points. FORK PROTECTION - Side deflectors to protect fork seals

BOLT-ON ADAPTER - Fixed mounting fit to your fork by choosing the appropriate adapter.



Compatible with Fox, Öhlins, X-Fusion, Suntour, Marzocchi with chassis Fox.



Ref. 2451

On the fork with straps included: **RZ01 ADAPTER FOR DEFLECTOR FM40**

Compatible with Zeb, Domain (2021), Lyrik, Pike (from 2023), Recon, 35 Gold & Silver.



- > MATERIAL
 - Polypropylene
- > WHEEL DIAMETER 27.5" / 28" / 29"
- > MAXIMUM RECOMMENDED TYRE WIDTH Up to 3.0" / 76 mm
- > PROTECTION LEVEL
- > MOUNTING

X2 strap 210 mm X1 strap 150 mm

- > WEIGHT 510 g
- > DIMENSIONS (LxWxh) 560 x 90 x 170 mm







Ref. 2401

DEFLECTOR FM20

Ref. 2552

// MTB FRONT MUDGUARD



EFFICIENT AND DISCRETE - Efficient whilst discrete thanks to its proximity to the ground.

UNIVERSAL - Compatible with most of the forks (standard and boost wheel hub).

2 MOUNTING SYSTEMS INCLUDED - Snap-On by Velcro® or

CUSTOMIZABLE - 3 stickers included.



Ref. 2554

EASY TO FIT AND ROBUST - Fitted using zip-ties with soft covers for perfect hold and protection of the fork paintwork.





DEFLECTOR FM60

Ref. 2500



UNIVERSAL - Compatible with most of the telescopic forks. QUICK REMOVAL - After first mounting, the mudguard can be easily removed for carrying the bike.



FM20 -

- > MATERIAL Polypropylene
- > WHEEL DIAMETER 26" / 27.5" / 29'
- > MAXIMUM RECOMMENDED TYRE WIDTH 2.4"
- > PROTECTION LEVEL Minimal
- > MOUNTING X4 zip-ties or X4 Velcro® starps included
- **WEIGHT** 110 g
- > DIMENSIONS (LxwxH) 360 x 78 x 145 mm

- > MATERIAL Polypropylene
- > WHEEL DIAMETER 26" / 27.5" / 27.5"+ / 29"
- > MAXIMUM RECOMMENDED TYRE WIDTH 2.6"
- > PROTECTION LEVEL
- > **MOUNTING** On the front fork with 6 zip-ties® included
- > **WEIGHT** 135 g
- > DIMENSIONS (LxwxH) 475 x 88 x 170 mm

- > MATERIAL Polypropylene

— FM60 -

- > WHEEL DIAMETER 26" / 27.5'
- > MAXIMUM RECOMMENDED TYRE WIDTH 2.6"
- > PROTECTION LEVEL
- > **MOUNTING** On the fork steerer Adjustable for Ø from 20 to 33.7 mm
- > **WEIGHT** 145 g
- > DIMENSIONS (LxwxH) 660 x 73 x 150 mm
- > AVAILABLE IN SET Deflector RM60 (set: #2509)

KID MTB MUDGUARD SET

Ref. 2501

MUDGUARD SET FOR CHILDREN'S MOUNTAIN BIKES



16", 18" OR 20" WHEELS - For children's bikes.

QUICK MOUNTING - Easy and quick installation and remove, no tools required.

UNIVERSAL - Compatible with all types of bicycle frames.

CUSTOMIZABLE - Stickers included.





DEFLECTOR LITE FRONT

Ref. 2506

// LIGHT MTB FRONT MUDGUARD



LIGHT - Light and discreet mudguard.

FACE PROTECTION - Design studies to prevent spray on the face

 $\ensuremath{\textit{FORK PROTECTION}}$ - Side spoilers to protect the sheaths from rising mud.

UNIVERSAL - Compatible with most forks on the market.

 $\ensuremath{\textit{PAINT PROTECTION}}$ - «Skin Armor» protective strips included.





DEFLECTOR LITE FRONT XI

Ref. 2553



ta 🗕

KID MTB

- > MATERIAL Polypropylene
- > WHEEL DIAMETER 16" / 18" / 20"
- > MAXIMUM RECOMMENDED TYRE WIDTH 2.2"
- > PROTECTION LEVEL High
- MOUNTING Front: MD-Quick (X2 Elastic straps 165 mm) on down tube -Ajustable until Ø75mm. Rear: Saddlerail mounting.
- > **WEIGHT** 129 g
- > DIMENSIONS (L x w) 340 x 114 x 40 mm - Front : 340 x 80 -60 mm / Rear : 288 x 114 - 94 mm

—— LITE FRONT —

- > MATERIAL Polypropylene
- > WHEEL DIAMETER 26" / 27.5" / 29"
- > MAXIMUM RECOMMENDED TYRE WIDTH 3.0"
- > PROTECTION LEVEL Minimal
- > **MOUNTING** X6 zip-ties included
- > WEIGHT 27g / 32g with zip-ties
- > DIMENSIONS (L x w) 270 x 276 mm

— LITE XL —

- > MATERIAL Polypropylene
- > WHEEL DIAMETER 26" / 27.5" / 29" / 27.5"+ / 29"+ / Fat Bike
- > MAXIMUM RECOMMENDED TYRE WIDTH 4.0"
- > PROTECTION LEVEL Minimal
- > **MOUNTING** X7 zip-ties included
- > WEIGHT 48 g with zip-ties
- > DIMENSIONS (L x w) 286 x 300 mm

DEFLECTOR RM60

Ref. 2505

// REAR MTB MUDGUARD



MD-TURN SYSTEM - Quick screw-on mounting system on seat post. Adjustable from \emptyset 25 - 32 mm.

ADJUSTABLE - Ensures an optimal protection.

 $\ensuremath{\textit{DUAL}}$ $\ensuremath{\textit{MATERIAL}}$ $\ensuremath{\textit{SPOILER}}$ - Better protection and brings flexibility to the fender.

VISIBILITY - Reflective ring for a better visibility by night.

+ **DEFLECTOR** RM60+

Ref. 2507

DOUBLE ORIENTATION - Optimal tyre coverage.



Ref. 2532

// REAR MTB MUDGUARD FOR WIDE TYRES



SHIELD S20

Ref. 2563

// REAR-WHEEL, SADDLE-MOUNTED MTB MUDGUARD



LIGHT AND DISCREET - Very light mudguard.

QUICK MOUNTING - Easy and quick installation and remove, no tools required

DOUBLE LOCK - Double-locking system under the saddle.

UNIVERSAL - Compatible with all standard-rail saddles.





- RM60 / RM60+ -

- > MATERIAL Technopolymer
- > WHEEL DIAMETER 26" / 27.5"
- > MAXIMUM RECOMMENDED TYRE WIDTH 2.6"
- > **PROTECTION LEVEL** High / Maximal
- > **MOUNTING** MD-Turn - On seat post
- **> WEIGHT** 166 g / 220 g
- > **DIMENSIONS (Lx Wx H)** 570 x 72 - 80 x 120 mm 630 x 72 - 80 x 120 mm
- > AVAILABLE IN SET
 Deflector FM60 (set: #2509)

- RM90-

- > MATERIAL Technopolymer
- **> WHEEL DIAMETER** 26" / 27.5" / 27.5" + / 29"
- > MAXIMUM RECOMMENDED TYRE WIDTH 2.8"
- > PROTECTION LEVEL
 Maximal
- > **MOUNTING** MD-Turn - On seat post
- > **WEIGHT** 238 g
- > DIMENSIONS (L x W x H) 640 x 85 -90 x 110 mm

— SHIELD S20 -

- > MATERIAL Polypropylene
- **WHEEL DIAMETER** 26" / 27.5" / 29"
- > MAXIMUM RECOMMENDED TYRE WIDTH 2.8"
- > PROTECTION LEVEL Minimal
- > **MOUNTING**Saddle-rail mounting
- > **WEIGHT** 67 h
- > **DIMENSIONS (LxWxH)** 288 x 114 - 94 x 30 mm





DEFLECTOR RS75

Ref. 2534

// REAR MTB MUDGUARD

The Deflector RS75 is the right protection for all mountain bikes. Thanks to its quick mounting close to the wheel, it is both discreet and effective. The Deflector RS75 is also suitable for full-suspension bikes with telescopic seatposts, thanks to its swingarm mounting.





ADJUSTABLE UNIVERSAL MOUNT -

Quick to install and remove.

SPECIAL FULL-SUSPENSION BIKE -

Mounted on the frame or swingarm, close to the wheel. Compatible with telescopic seatposts.

FOR WIDE TYRES - 26" / 27.5" / 27.5+ / 29" tyres up to 2.8".

FRAME PROTECTION - Soft pads and silicone-coated straps to protect paintwork.



t

> MATERIAL

Technopolymer (PP + 20% FG)

> WHEEL DIAMETER

26" / 27.5" / 27.5+ / 29"

> MAXIMUM RECOMMENDED TYRE WIDTH 2.8"

> PROTECTION LEVEL

Maximal

> MOUNTING

MD-Strap - For \emptyset 10 to 32 mm / strap length = 150 mm

> WEIGHT

310 g

> DIMENSIONS (Lxwxh)

663 x 80 x 290 mm

DEFLECTOR M65 SET

Ref. 2525

// MTB MUDGUARD SET

The Deflector M65 is a set of front and rear mudguards for mountain bikes, suitable for use on all types of terrain or for daily commuting in town. The universal MD-Strap mounting system allows easy installation on the rear frame and front fork.

The height of the mudguards can be adjusted to position the mudguard close to the wheel, whatever the type of bike: mountain bikes with or without electric assistance, semi-rigid or full-suspension, etc. The design is suitable for tyres up to 2.6" wide, so you'll be protected from splashes of rain and mud.



+

UNIVERSAL - Fits all bikes with wide tyres up to 2.6".

QUICK MOUNTING - Adjustable straps for mounting on frame and suspension fork.

STABLE AND ROBUST - Reinforced plastic design and construction.

ADJUSTABLE - Adjustable height for optimal protection.

FRAME AND FORK PROTECTION - Soft pads and silicone-coated straps to protect paintwork.





- > MATERIAL Polypropylene reinforced with glass fibre
- **WHEEL DIAMETER** 26" / 27.5" / 650B / 28" / 29"
- > MAXIMUM RECOMMENDED TYRE WIDTH up to 2.6" / 65 mm
- > **PROTECTION LEVEL** Maximal
- > MOUNTING

MD-Strap - For front Ø 10 to 55 mm and rear Ø 10 to 32 mm. Front strap 210 mm / Rear strap 150 mm

- **WEIGHT** 260 g + 330 g
- > FRONT MUDGUARD DIMENSIONS (Lxwxh) 515 x 65 x 200 mm
- > REAR MUDGUARD DIMENSIONS (L x w x h) 710 x 65 x 260 mm

SHIELD R35 & G50

// GRAVEL BIKE MUDGUARD SET

+

ADJUSTABLE UNIVERSAL MOUNT - Quick to install and remove.

ADAPTABLE LENGTH - 3 mud flaps supplied of 20, 60 and 120 mm.

FRAME PROTECTION - Soft pads and silicone-coated straps to protect paintwork.

DISCREET AND EFFICIENT - Mudguard positioned close to the wheel.

 ${\it UNIVERSEL\,ROAD}$ - For 700c / 28" tyres up to 32 mm (R35).

UNIVERSAL GRAVEL - For 650B/28''/700C tyres up to 48 mm (G50).





O

SHIELD G50 -

- > MATERIAL Technopolymer (PP + 20% FG)
- **WHEEL DIAMETER** 650b / 28" / 700c
- > MAXIMUM RECOMMENDED TYRE WIDTH 48 mm
- > **PROTECTION LEVEL** Maximal
- > **MOUNTING** MD-Strap. For front Ø 10 to 55 mm and rear Ø 10 to 32 mm. Front 210 mm / rear 150 mm straps length.
- > **WEIGHT** 195 g + 212 g (with mud flap 20 mm)
- > **DIMENSIONS (LxwxH)**Front: 461 x 54 x 210 mm Rear: 560 (with mud flap 20 mm) x 54 x 210 mm

SHIELD R35 -

- > MATERIAL Technopolymer (PP + 20% FG)
- **WHEEL DIAMETER** 700c / 28"
- > MAXIMUM RECOMMENDED TYRE WIDTH 32 mm
- > **PROTECTION LEVEL** Maximal
- > **MOUNTING** MD-Strap. For front Ø 10 to 55 mm and rear Ø 10 to 32 mm. Front 210 mm / rear 150 mm straps length
- > **WEIGHT** 166 g + 177 g (with mud flap 20 mm)
- > **DIMENSIONS (LxwxH)** Front: 498 x 34 x 210 mm

Rear : 572 (with mud flap 20 mm) \times 34 \times 210 mm



SHIELD S10

Ref. 2562

// REAR-WHEEL, SADDLE-MOUNTED ROAD BIKE MUDGUARD



+ SHIELD LITE M

Ref. 2560



SHIELD LITE FRONT

Ref. 2513

// FRONT MUDGUARD FOR GRAVEL



CROOZER ROAD

Ref. 2375

// FRONT MUDGUARD FOR ROAD BIKES



SWAN ROAD

Ref. 2470

// REAR MUDGUARD FOR ROAD BIKES



*

SHIELD S10 -

SHIELD LITE FRONT —

— CROOZER ROAD — SWAN ROAD —

- > MATERIAL
 - Polypropylene
- > WHEEL DIAMETER 650B / 700C / 28"
- > MAX. RECOMMENDED TYRE WIDTH 38 mm / 40 mm
- > PROTECTION LEVEL
- Minimal > **MOUNTING**
- Saddle-rail mounting
- **> WEIGHT** 55 g / 15 g
- > DIMENSIONS (LxwxH) 288 x 85 - 62 x 30 mm 330 x 100 x 0,7 mm

- > MATERIAL
 - Polypropylene
- > WHEEL DIAMETER 650B / 700C / 28" / 29"
- > MAX. RECOMMENDED TYRE WIDTH 50 mm
- > PROTECTION LEVEL Minimal
- > **MOUNTING** X6 zip-ties included
- **> WEIGHT** 17 g
- > DIMENSIONS (LxwxH) 164 x 186 mm

- > MATERIAL
 - Polypropylene and elastomer straps
- > WHEEL DIAMETER 650C / 700C / 28"
- > MAX. RECOMMENDED TYRE WIDTH 40 mm
- > PROTECTION LEVEL Minimal
- > MOUNTING X2 Elastic straps (165 mm)
- > **WEIGHT** 60 g
- > DIMENSIONS (LxwxH) 390 x 48 - 70 x 47 mm

- > MATERIAL
- Technopolymer
- > WHEEL DIAMETER 650C / 700C / 28"
- > MAX. RECOMMENDED TYRE WIDTH 40 mm
- > PROTECTION LEVEL Maximal
- > MOUNTING MD-Turn
- On seat post > **WEIGHT** 150 g
- > DIMENSIONS (LxwxH) 640 x 48 x 100 mm

TRAIL

	TRAIL 65	TRAIL 55	TRAIL 45	TRAIL TEEN 60	TRAIL KID
REF.	2438	2435	2430	2465	2295
MATERIAL		Polypropylene - Steel bracket.			
WHEEL DIAMETER	650B / 27.5" 28" / 29"	26" / 650B 27.5" / 28"	700C / 28"	24" / 26"	20"
MAX. RECOMMENDED TYRE WIDTH	2.4"- 60 mm	2.35"- 50 mm	40 mm	2.2"- 55 mm	1.75"- 45 mm
PROTECTION LEVEL	Maximal				
MOUNTING	Front: Standard-Fix (X2 steel brackets /X1 CHC M5 x 14 screw / X1 CHC M5 x 40 screw / X1 CHC M5 x 60 screw / X2 washers M5 / X2 nuts M5) included. Rear: Standard-Fix + adjustable steel stay (X3 zip-ties / X2 soft sleeves) included.	Standard-Fix (X2 steel brackets / X1 CHC M5 x 14 screw / X1 CHC M5 x 40 screw / X1 CHC M5 x 60 screw / X2 washers M5 / X2 nuts M5 / X1 elastic clamp) included.			
WEIGHT	360 g	205 g	150 g	208 g	185 g
SET DIMENSIONS (L X W X H)	760 x 65 x 150 mm	710 x 55 x 170 mm	680 x 45 x 130 mm	750 x 60 x 185 mm	480 x 50 x 100 mm
FRONT FENDER DIMENSIONS REAR FENDER DIMENSIONS	655 x 65 mm 760 x 65 mm	635 x 55 mm 770 x 55 mm	560 x 45 mm 680 x 45 mm	600 x 60 mm 750 x 60 mm	330 x 50 mm 480 x 50 mm

DEFLECTOR FC50

Ref. 2511

// FRONT MUDGUARD AND FRAME PROTECTION



DEFLECTOR RC50

Ref. 2516

// REAR MUDGUARD ON SEAT POST



*

— DEFLECTOR FC50 —

- > MATERIAL Polypropylene and elastomer straps
- > WHEEL DIAMETER 24" / 26" / 27.5" / 28" / 29"
- > MAXIMUM RECOMMENDED TYRE WIDTH 3.0"
- > **PROTECTION LEVEL** Minimal
- > MOUNTING X2 Elastic straps (165 mm)
- > **WEIGHT** 62 g
- **DIMENSIONS (LxwxH)** 340 x 80 60 x 35 mm
- > AVAILABLE IN SET Deflector RC50 (set: #2518)

— DEFLECTOR RC50 —

- > **MATERIAL** Polypropylene
- **WHEEL DIAMETER** 26" / 650B / 700C / 28"
- > MAXIMUM RECOMMENDED TYRE WIDTH 1.75"- 45 mm
- > PROTECTION LEVEL High
- > **MOUNTING** MD-Turn On seat post
- **WEIGHT** 115 g
- **DIMENSIONS (LxwxH)** 570 x 47-55 x 140 mm
- > AVAILABLE IN SET Deflector FC50 (set: #2518)

SKIN ARMOR 3 & 15 METERS ROLL

// INVISIBLE PROTECTION FOR BICYCLE FRAME

The Skin Armor roll is a transparent flexible polyurethane protective film specifically developed for frames and components. It protects your bike from scratches and rubbing.

The Glue Shield technology requires no liquids, so it's quick and easy to apply.

This roll format allows you to cut patches of different shapes and lengths to suit your needs, offering customised protection for your components and your hike

The Skin Armor is resistant to water (high-pressure washing), tearing, perforation, peeling, UV rays and temperature variations. It's the ideal solution for cyclists looking for an effective, discreet solution to preserve their bike's appearance and resale value.





HIGH RESISTANCE - No rips. Excellent resistance to puncture and peeling.

UV RESIST - Does not change colour with time.

WASHABLE - Resistant to high-pressure water jets.

TEMPERATURE FLUCTUATIONS RESIST - From -30°C to +100°C / From -22°F to +212°F.

GLUE SHIELD TECHNOLOGY - Quick and easy dry fitting. High adhesive strength.





SKIN ARMOR 3 METERS ROLL

SKIN AKMOK 3 METEKS KOLL

> FINISH

Shiny (ref.2609) Matt (ref. 2624)

- > FOR Frame and fork
- > MATERIAL

Polyurethane

- > THICKNESS 250 microns
- > COLOUR Clear
- > **WIDTH** 58 mm
- > **LENGTH** 3 m
- > DIMENSIONS (L x w x H) 58 x 58 x 58 mm

——— SKIN ARMOR 15 METERS ROLL ——

> FINISH

Shiny (ref.2604) Matt (ref.2617)

- > FOR Frame and fork
- > MATERIAL

Polyurethane

- > THICKNESS 250 microns
- > COLOUR

Clear

- > **WIDTH** 58 mm
- > **LENGTH** 15 m
- > **DIMENSIONS** (Lx w x H) 162 x 150 x 62 mm

SKIN ARMOR

// INVISIBLE PROTECTION KIT FOR BICYCLE FRAME



HIGH RESISTANCE - No rips. Excellent resistance to puncture and peeling.


UV RESIST - Does not change colour with time.

WASHABLE - Resistant to high-pressure water jets.

TEMPERATURE FLUCTUATIONS RESIST - From -30°C to \pm 100°C / From -22°F to \pm 212°F.

GLUE SHIELD TECHNOLOGY - Quick and easy dry fitting. High adhesive strength.





\$

	SKIN ARMOR S	SKIN ARMOR M	SKIN ARMOR L	SKIN ARMOR XL		
FOR	Gloss and matt finish frame and parts					
MATERIAL	Polyurethane					
THICKNESS	250 microns					
COLOUR	Clear					
FINISH	Shiny (ref.2603)	Shiny (ref.2600)	Shiny (ref.2601) Matt (ref.2607)	Shiny (ref.2618) Matt (ref.2619)		
INCLUDED	 1 chainstay protection 252 x 25 mm 4 patches 35 X 25 mm 2 patches 25 x 45 mm 	 1 down-tube protection 345 X 58 mm 1 rear base-protection 252 X 25 mm 4 patches 35 X 25 mm 4 patches 50 X 25 mm 2 patches Ø 25 mm 	 1 down-tube protection 500 X 58 mm 1 top-tube protection 500 X 58 mm 2 rear base-protection 252 X 25 mm 2 crank protection 105 X 25mm 4 patches 35 X 25 mm 4 patches Ø 25 mm 	 2 down-tube protection 500 X 90 mm 1 top-tube protection 500 X 58 mm 2 seat stay protection 244 X 35 mm 1 rear base-protection 252 X 25 mm 3 patches 50 X 25 mm 2 patches 35 x 25 mm 		
DIMENSIONS (Lxwxh)	290 x 74 x 2 mm	395 x 139 x 3 mm	548 x 135 x 3 mm	548 x 174 x 3 mm		

CS ARMOR

Ref. 2605

// HIGH-RESISTANCE CHAINSTAY PROTECTION



BETTER PROTECTION - Thickness 1,8 mm.

UNIVERSAL MOUNTING - Compatible with all frames.

WASHABLE - With low-pressure jet.

GLUE SHIELD TECHNOLOGY - High-resistance adhesive. Doesn't damage paint or varnish.

NOISE CANCELLING - Flexible material for good impact absorption.

DT ARMOR

Ref. 2522

// DOWN TUBE PROTECTION



BETTER PROTECTION - Thickness 1.8 mm.

UNIVERSAL MOUNTING - Compatible with all frames.

WASHABLE - With low-pressure jet.

GLUE SHIELD TECHNOLOGY - High-resistance adhesive. Doesn't damage paint or varnish.

NOISE CANCELLING - Flexible material for good impact absorption.

DT ARMOR XL

Ref. 2523

// EXTRA LARGE DOWN TUBE **PROTECTION**



CS ARMOR —

- > **MATERIAL** Polyurethane
- > THICKNESS 1,8 mm
- > COLOUR Black

> FOR Chain Stay

- > FINITION Matt
- > **WEIGHT** 12 g
- > DIMENSIONS (LxwxH) 250 x 33 x 1,8 mm

----- DT ARMOR -

- > FOR Down tube frame
- > MATERIAL Polyurethane
- > THICKNESS 1,8 mm
- > COLOUR Black
- > FINITION Matt > **WEIGHT** 48 g
- > DIMENSIONS (LxwxH) 450 x 70 x 1.8 mm

----- DT ARMOR XL -

- > FOR Down tube frame
- > MATERIAL Polyurethane
- > THICKNESS 1,8 mm
- > COLOUR Black
- > FINITION Matt
- **> WEIGHT** 72 g
- > DIMENSIONS (LxwxH) 500 x 90 x 1.8 mm

CRANK ARMOR

Ref. 2630 - 2637

// CRANKS PROTECTION



IMPACT RESISTANT - Durability and high resistance.

QUICK MOUNTING - Easy mounting on the crank.

E-BIKE FRIENDLY - For E-Bike cranks, in aluminum or carbon.

+ CRANK ARMOR XL

Ref. 2620











CRANK ARMOR XI









SRAM.	CRAINCARMOR	CRAINN ARMOR AL
XX1		0
X01		0
xx		0
хо		0
X1	0	
GX	0	
NX	Ø	
Х9	0	
Х7	0	
X5	0	
RED		0
FORCE		0
RIVAL	0	
APEX	0	
RIVALXPLR	0	
APEX XPLR	Ø	
RED AXS		0
FORCE AXS		0
GX EAGLE (FC-GX-1002-A1, FC-GX-D1)	Ø	
XO EAGLE (FC-X0-D1)	0	

CRANK ARMOR

SHIMANO	CRANK ARMOR	CRANK ARMOR XL
XTR (9200 - M9100 - 9120 - 9130)		0
DEORE XT		Ø
SLX (M7000 - 7100 - 7120)	Ø	
DEORE		Ø
ALIVIO	Ø	
ACERA	Ø	
DURA ACE (R9000 - R9100 - R9200)	Ø	
ULTEGRA (R8000 - R8100 - R8200)	Ø	
105 (R7000 - R7100 - R7200) (=/< 2022)	Ø	
TIAGRA	Ø	
SORA		Ø
E8000	Ø	
GRX600	Ø	
GRX810	Ø	
105 (2022)		Ø
ZEE (FC-M640 / FC-M645)	Ø	
DEORE XT FC-M8100	Ø	
DEORE FC-M6100	Ø	
FC-E8000	0	

- CRANK ARMOR

- > **MATERIAL** Soft Thermoplastic
- > **COLOURS** Black (2637) / Grey (2636) / Red (2632) Green (2635) / Cyan Blue (2634) / Orange (2631) Fluorescent Yellow (2630) / Pink (2633)
- **> WEIGHT** 18 g

> FOR Crank

> DIMENSIONS (LxwxH) 57 x 39 x 17 mm

– CRANK ARMOR XL –

- > FOR Crank
- > MATERIAL Soft Thermoplastic
- > COLOURS Black
- > **WEIGHT** 18 g
- > DIMENSIONS (LxwxH) 52 x 42.5 x 17.5 mm



TRANSPORT

ZADVENTURE F1

Ref. 7039

// MINIMALIST HANDLEBAR BAG

The lightweight, practical Z Adventure F1, with a capacity of 1.2 litres, is ideal for carrying all your essentials when you're out and about on your bike, while preserving its lines. This bag is roomy enough to hold a phone, wallet, keys, multitool and even a minipump. It has pockets and compartments for easy organisation. You won't need to overload your jersey pockets.



+

COMPACT - Adaptable to any handlebar width.

LIGHT - Durable and lightweight material.

STABILITY - Anti-rotation system.

COLOURED LINING - The red interior enhances contrast, making it easier to find your things.

UNIVERSAL MOUNTING - Using self-gripping straps.





ZADVENTURE F2

Ref. 7089

// COMPACT, WATERPROOF HANDLEBAR BAG

+

WATERPROOF - IPX4, welded bag with waterproof material.

COMPACT - Adaptable to any handlebar width.

UNIVERSAL MOUNTING - Using self-gripping straps.

STABILITY - Anti-rotation system.

LIGHT - Durable and lightweight material





— Z ADVENTURE F1 —

- > TYPE Handlebar bag
- > MATERIAL Polyester TPU 420 D
- > DIMENSIONS (L x w x H) 200 mm x 90 mm x 90 mm
- > **WEIGHT** 130 g
- > **MOUNTING** Self-gripping straps
- > CAPACITY 1.2 L
- > CLOSING Water repellent zip
- > MAXIMUM LOAD 2 kg

Z ADVENTURE F2 —

- > TYPE Handlebar bag
- > MATERIAL Polyester TPU 600 D
- > DIMENSIONS (L x w x H) 250 mm x 120 mm x 120 mm
- **> WEIGHT** 135 g
- > **MOUNTING** Self-gripping straps
- > CAPACITY 2.5 L
- > CLOSING Water repellent zip

ZADVENTURE FORK PACK

Ref. 7051

// WATERPROOF BAG AND UNIVERSAL FORK **HOLDER**



WATERPROOF - Welded bag with waterproof material and roll

UNIVERSAL - Compatible with rigid and suspension forks (Ø16 to 36mm), with or without threaded studs.

ADJUSTABLE HEIGHT - Thanks to the 4 fixing holes.

STABILITY - Bag secured by two self-gripping straps.

VISIBILITY - Reflective side strips for better visibility at night.



ZADVENTURE DRY BAG 41 & 61

// WATERPROOF BAG FOR BIKEPACKING



WATERPROOF - Welded bag with waterproof material and roll top closure.

STABILITY - Bag secured by two self-gripping straps.

VISIBILITY - Reflective side strips for better visibility at night.

UNIVERSAL - Fits all bikepacking cages.



— Z ADVENTURE FORK PACK ——

> TYPE Bikepacking fork bags

- > MATERIAL Holder in Fiber reinforced Polypropylene. Bag in Polyester 420D TPU
- > **DIMENSIONS** Ø150 x 365 mm
- **WEIGHT** 346 g (including 204 g for the bag)
- **MOUNTING** Clip loop and screws or Gizmo
- > CAPACITY 6 L
- > CLOSING
- By roll top and clip loop
- > MAXIMUM LOAD 2.5 kg

Z ADVENTURE DRY BAG 4L & 6L ———

- > TYPE Bikepacking fork bags
- > MATERIAL Polyester 420D TPU
- > DIMENSIONS

4L: Ø130 x 285 mm 6L: Ø150 x 365 mm

- > **WEIGHT** 160 g / 205 g
- > **MOUNTING** Clip loop
- > CAPACITY 4L/6L
- > CLOSING
- By roll top and clip loop

ZADVENTURE F5

Ref. 7017

// WATERPROOF HANDLEBAR BAG WITH MEDIUM VOLUME

This universal handlebar bag is ideal for carrying light, large-sized items, such as a sleeping bag or a floor mat, in a way that evenly distributes the weight on the bicycle. With a capacity of 5 litres, this perfectly waterproof bag is easy to install and remove thanks to its hook-and-loop straps. Its compact size makes it particularly suitable for small frames. Equipped with reflective strips and an attachment loop for lights, the Z Adventure F5 can safely adapt to fit all types of handlebars.



+

WATERPROOF - Heat-sealed waterproof material.

MEDIUM CAPACITY - Large carrying volume.

DURABLE - Durable material. Reinforced straps and mount.

UNIVERSAL - Adjustable and durable self-adhesive straps. Two mounting positions: 45 to 65mm spacing and 190 to 210mm spacing.





ZADVENTURE F10

Ref. 7000

// WATERPROOF HANDLEBAR BAG WITH LARGE VOLUME



LARGE CAPACITY - Very large carrying volume.





Z ADVENTURE F5

- > TYPE Handlebar bag
- > MATERIAL PU 210 D
- > **DIMENSIONS** 380 x 150 x 150 mm
- **WEIGHT** 320 g
- MOUNTING Self-gripping straps
- > CAPACITY 5 L
- > CLOSING Roll top
- > MAXIMUM LOAD 4 kg

Z ADVENTURE F10

- > TYPE Handlebar bag
- > MATERIAL PU 210 D
- > **DIMENSIONS** 400 x 180 x 180 mm
- **WEIGHT** 340 g
- MOUNTING Self-gripping straps
- > CAPACITY 10 L
- > CLOSING Roll top
- > MAXIMUM LOAD 4 kg

ZADVENTURE AERO F12 & F8

Ref. 7087 - 7088

// WATERPROOF BAG FOR AEROBARS



WATERPROOF - Welded bag with waterproof material and roll top closure.

WIDE OPENING - Quick access from the front.

QUICK MOUNTING / DISMOUNTING - Fastening with hook and loop straps.

DURABLE - Tear-resistant material.

LIGHTNESS - Simple construction with integrated mounting.



ZADVENTURE POUCH BAG

Ref. 7090





UNIVERSAL - Compatible with all types of handlebars.

EASY ACCESS - One-handed opening and closing.

MODULAR - Can be mounted on the right or left side thanks to the removable straps.

STABILITY - 3 fixing points for increased stability under heavy loads.

VISIBILITY - Reflective strips for better visibility at night.



HANDLEBAR BAG 7L

Ref. 7003

// 7L BIKE FRONT BAG



WATERPROOF - Water-resistant material and zip. Rain-cover.

LARGE LOAD VOLUME - Load volume of 7L. Ideal for touring.

CLEAR WINDOW - Possibility of inserting a map, a tablet or a phone.

UNIVERSAL MOUNTING - Compatible with all types of handlebars (25,4 mm - 31,8 mm), including the ones with e-Bike Console.

Z-FRONT - Clip-on mounting with bag locking and unlocking system.



*

F8 / F12

—— POUCH BAG ——

—— HANDLEBAR BAG —

- > **TYPE** Handlebar bag
- > MATERIAL Polyester 420D TPU
- **> DIMENSIONS**

F8 : 410 mm x 165 mm x 165 mmF12 : 410 mm x 200 mm x 200 mm

- **> WEIGHT** 217 g / 260 g
- > **MOUNTING**Self-gripping straps
- > CAPACITY 8 L / 12 L
- > CLOSING Roll top
- > MAXIMUM LOAD 3.5 kg

- > **TYPE** Stem bag
- > MATERIAL Polyester 420D TPU
- > **DIMENSIONS** 180 mm x 90 mm x 90 mm
- > **WEIGHT** 80 a
- MOUNTING
 Self gripping straps
- > CAPACITY 1.1 L
- > **CLOSING** With double elastic drawstring

- > MATERIAL Polyester 420D TPU
- > DIMENSIONS
- 230 x 180 x 175 mm
- **WEIGHT** 860 g
- > **MOUNTING** Z-Front
- > CAPACITY 7 L
- > **ZIP** Water repellent zip

ZADVENTURE T1

Ref. 7015

// TOP-TUBE BAG

The Z Adventure T1 is a horizontal tube bag that lets you carry your most essential items (wallet, nutrition, phone, repairs, powerbank) on your bike. Thanks to its 100% welded construction and waterproof zip, your gear is protected from the elements while remaining quickly accessible. This universal bag can be mounted on a road, gravel or mountain bike, making it a versatile choice for all types of bike rides.

To keep your belongings organised, the bag has a key hook and an internal mesh pocket. What's more, it has an integrated cable channel in the centre of the bag, allowing you to run a USB charging cable (for a GPS or other device) while maintaining a sleek, stylish look.

With dimensions designed to maximise carrying volume while minimising the risk of touching the bag with your knees while riding, the Z Adventure T1 is the ideal choice for cyclists looking to carry their gear without compromising comfort or the handling of their bike.







CABLE ACCESS - Allowing the rider to charge their GPS, phone, lights...

WATERPROOF - Welded bag and waterproof zip. **UNIVERSAL MOUNTING** - Using self gripping straps. **STORAGE** - Internal mesh pocket and key hook. **LIGHTWEIGHT** - Lightweight, resistant material.

ZADVENTURE T1 BOLT



Ref. 7016

This «bolt on» bag is compatible with road and gravel bikes fitted with threaded holes on the top horizontal tube, as long as these holes face upwards. By eliminating the risk of abrasion from rubbing straps, this bag protects your bike's paintwork and frame. The Z Adventure T1 Bolt is easily fitted to your bike using the screws supplied.



\$

— Z ADVENTURE T1 —

- > **TYPE** Top-tube frame bags
- > MATERIAL Polyester 420D TPU
- **DIMENSIONS** 220 mm x 50 mm x 100 mm
- > **WEIGHT** 150 g
- > **MOUNTING** Self gripping straps
- > CAPACITY 1 L
- CLOSING
- Waterproof zip

 > MAXIMUM LOAD 1kg

— Z ADVENTURE T1 BOLT —

- > **TYPE** Top-tube frame bags
- > MATERIAL Polyester 420D TPU
- **DIMENSIONS** 220 mm x 50 mm x 100 mm
- > **WEIGHT** 150 g
- > MOUNTING M5 x 16 mm screws (included)
- > CAPACITY 1L
- > CLOSING Waterproof zip
- > MAXIMUM LOAD 1kg

ZADVENTURE T3

Ref. 7091

// TOP-TUBE BAG



WATERPROOF - Welded bag with waterproof material.

STORAGE - Inside zipped pocket.

UNIVERSAL MOUNTING - Using self gripping strans

ANTI-SLIP MATERIAL ON THE LOWER PART-Better grip to the top tube.

LIGHTWEIGHT - Lightweight, resistant material.



ZAERO

Ref. 7006

// AERODYNAMIC BAG FOR NUTRITION



WATER REPELLENT - Water-resistant material and zip. **UNIVERSAL FITTING** - Using self gripping straps or screws. **REMOVABLE FRONT STRAP** - Several possible settings. **LIGHTWEIGHT** - Lightweight, resistant material. **COMPARTMENTS** - Easy storage.



‡

Z ADVENTURE T3 —

- > **TYPE** Top-tube frame bags
- > MATERIAL Polyester 420D TPU
- > DIMENSIONS
- 440 x 45 x 100 mm
- **> WEIGHT** 215 g
- > **MOUNTING** Self gripping straps
- > CAPACITY 2 L
- > CLOSING Water repellent zip

Z AERO —

- > **TYPE** Top-tube frame bags
- > MATERIAL Polyester 420D TPU
- > **DIMENSIONS** 220 x 65 x 45 mm
- **> WEIGHT** 95 g
- > **MOUNTING** Universal with self gripping straps or with screws
- > CAPACITY 0.4 L
- > CLOSING Water repellent zip

ZADVENTURE C2, C3 & C4

WATERPROOF FRAME BAG

These waterproof (IPX4) frame bags have been designed to accompany all cycling adventurers, whether on road, gravel, mountain or touring bikes. Available in 3 sizes, the Z Adventure C2, C3 and C4 can be mounted on all bikes thanks to the removable and adjustable straps.

The volumes are sufficient to carry a jacket in addition to a repair kit, a phone, a battery, a pair of gloves... The size should be chosen according to your needs but also according to the space inside your frame.







UNIVERSAL MOUNTING - Using self-gripping straps.

WATERPROOF - IPX4, welded bag with waterproof material.

WIDE OPENING - Better access to the content.

STORAGE - Inside zipped pocket. LIGHT - Durable and lightweight material.



Ref. 7092 - 7093 -7094



Polyester 600D TPU

340 x 110 x 65 mm

> TYPE Frame bags

> MATERIAL

Polyester 600D TPU

____ C3 -

> DIMENSIONS 430 x 115 x 65 mm

> WEIGHT 210 g

> MOUNTING Self-gripping straps

> CAPACITY 3.3 L

> CLOSING Water repellent zip _ C4 _

> TYPE Frame bags

> MATERIAL Polyester 600D TPU

> DIMENSIONS 500 x 140 x 65 mm

> WEIGHT 238 g

> MOUNTING Self-gripping straps

> CAPACITY 4.2 L

> CLOSING Water repellent zip

> TYPE

> WEIGHT 155 g

Frame bags

> DIMENSIONS

> MATERIAL

> MOUNTING Self-gripping straps

> CAPACITY 2.51

> CLOSING

Water repellent zip

CONSOLE PACK T1

Ref. 7010

// TOP-TUBE BAG WITH AN INTEGRATED **COMPARTMENT FOR SMARTPHONES**



2 IN 1 SOLUTION - Smartphone holder and front bag. **PHONE USE -** Ideal compartment for smartphones, touch screen.

WATERPROOF - Water-resistant material and zip. Translucent rain-cover.

ANTI-SLIP MATERIAL ON THE LOWER PART - Better grip to the top tube.

UNIVERSAL MOUNTING - An extra strap is provided for wide frames.



CONSOLE PACK T2

Ref. 7011



CONSOLE PACK T3

Ref. 7012



— CONSOLE PACK T1 ————— CONSOLE PACK T2 ————— CONSOLE PACK T3 ——

- > **TYPE** Top-tube frame bags
- > MATERIAL Polyester 420D TPU
- > DIMENSIONS 185 x 90 x 95 mm
- > **WEIGHT** 175 g
- > MOUNTING Self gripping straps
- **CAPACITY** 0.8 L / 49 c.i.
- > CLOSING Water repellent zip
- > MAXIMUM PHONE SIZE 160 x 80 mm

- > TYPE Top-tube frame bags
- > MATERIAL Polyester 420D TPU
- > DIMENSIONS 205 x 95 x 110 mm
- **WEIGHT** 200 g
- **MOUNTING** Self gripping straps
- > **CAPACITY** 1.3 L / 79 c.i.
- > CLOSING Water repellent zip
- > MAXIMUM PHONE SIZE 175 x 85 mm

- > **TYPE** Top-tube frame bags
- > MATERIAL Polyester 420D TPU
- > DIMENSIONS $350 \times 95 \times 110 \text{ mm}$
- **WEIGHT** 260 g
- **MOUNTING** Self gripping straps
- **CAPACITY** 1.8 L / 110 c.i.
- > CLOSING Water repellent zip
- > MAXIMUM PHONE SIZE 175 x 80 mm

ZBOX S, M & L Ref. 7086, 7080 & 7081

// TOOL BOX

WATERPROOF - To protect the content and prevent damage. **CONVENIENT STORAGE -** Compact and practical. UNIVERSAL - Fits all bottle cages.



UNIVERSAL TUBE STRAP

Ref. 1035

// UNIVERSALTUBE STRAP



FRAME STRAP - Extra wide and made from TPU, a resistant material which won't cause damage.

INNER TUBE STRAP - Coated in silicone creating a secure hold without causing

UNIVERSAL - For all types of bike inner tubes, even the wider ones.

TYRE LEVERS - Supplied with 2 highly resistant tyre Z-levers.



Z FRAME PACK

Ref. 7049

// FRAME BAG



LIGHTWEIGHT, RESISTANT MATERIAL - Made from a high-resistance material. UNIVERSAL MOUNTING - For all types of bikes. Quick and easy to fit.

LARGE VOLUME - The Z Frame pack has a volume of 1.3L, two mesh pockets, key chain and straps for a mini-pump.

WIDE OPENING - Better access to the content.

REFLECTIVE STRIPES - Better visibility of the bike.



— Z BOX S, M & L — UNIVERSAL TUBE STRAP — Z FRAME PACK —

- > **TYPE** Box
- > **MATERIAL** Polypropylene
- > DIMENSIONS
 - S: 140 mm x 75 mm x 75mm M: 170 mm x 75 mm x 75 mmL: 240 mm x 75 mm x 75mm
- **WEIGHT** 65g, 80g & 130g
- > **MOUNTING** Bottle cage
- > CAPACITY 0.5L, 0.6L& 0.8L
- > CLOSING Screw cap

- > **TYPE** Universal Strap
- > MATERIAL TPU and Nylon with silicone
- > DIMENSIONS 420 x 40 mm
- **> WEIGHT** 29 g
- > MOUNTING Self gripping strap

- > **TYPE** Frame bag
- > MATERIAL Polyester 420 D Ripstop
- > DIMENSIONS 270 x 100 x 80 mm
- **> WEIGHT** 125 g
- > MOUNTING Self gripping straps
- > **VOLUME** 1,3L / 61 c.i
- > CLOSING Water repellent zip



ZROAD PACK

Ref. 7013



COMPACT, ORGANISED SADDLE BAGS FOR YOUR REPAIR KIT

The Z ROAD PACK and Z OFF-ROAD PACK are designed to hold a modern bike inner tube and all the essential tools for quick repairs. It holds an inner tube, a multitool, a CO2 cartridge, an inflator and two tyre levers, all neatly organised in a space divided in two by a spacer. The interior compartments are designed to protect the inner tube from abrasion and provide easy access to tools. 100% waterproof, the contents remain protected from the elements, whatever the weather.

The bags attach easily to the underside of your bike saddle thanks to a wide hook-and-loop strap, which can be removed if you want to strap it onto another bag. They have been designed as your bike's first aid kit, to be used in the event of repairs. You won't need to access it every time you ride.

You can ride with confidence, knowing that your tools are close at hand if you need them. The ideal choice for cyclists looking to combine convenience and style on the road.



Shot.

WATERPROOF - Welded bag and waterproof zip. MINIMALIST SADDLE BAG - To carry all your repair essentials. UNIVERSAL MOUNTING - Quick mounting for all standard saddle rails. **COMPARTMENTS** - Protects the inner tube from abrasive objects in the bag. MEDIUM CAPACITY - Provides enough room for 1 tube (≈700x23~32) + 2 tyre levers + 1 multi-tool + 16g cartridge + a CO2 inflator as the Zéfal EZ Big



ZEFAL

+ ZOFF-ROAD PACK

Ref. 7014

MEDIUM CAPACITY - Provides enough room for 1 tube $(\approx 29X1.9"\sim 2.5") + 2$ tyre levers + 1 multi-tool + 25g cartridge + a CO2 inflator as the Zéfal EZ Big Shot.



— Z ROAD PACK —

- > **TYPE** Saddle bags
- > MATERIAL Polyester 420D TPU/PU
- > DIMENSIONS
 - 120 x 80 x 35 mm
- > **WEIGHT** 85g
- > **MOUNTING** Self gripping straps (325 mm x 38 mm)
- > CAPACITY 0.35 L
- > CLOSING Waterproof zip
- > MAXIMUM LOAD 1 kg

Z OFF-ROAD PACK —

- > **TYPE** Saddle bags
- > MATERIAL Polyester 420D TPU/PU
- > DIMENSIONS
 - 120 x 80 x 60 mm
- **> WEIGHT** 90 g
- > MOUNTING Self gripping straps (370 mm x 38 mm)
- > CAPACITY 0.60 L
- > **CLOSING** Waterproof zip
- > MAXIMUM LOAD 1 kg

Z LIGHT PACK

// SADDLE BAG



ULTRA LIGHT BAG - Ideal for road cyclists and triathletes.

FOR ALL TYPE OF BIKE - Quick mounting. **REFLECTIVES STRIPES** - Better visibility of the bike.

LIGHT MOUNT - Increase the security at night.

Ref. 7042 → 7045









IRON PACK 2DS

// AERODYNAMIC SADDLE BAG



HIGHLY RESISTANT BAG - Strong structure with material reinforcements.

WIDE OPENING - Better access to the content.

LIGHT MOUNT - Increase the security at night.

WATER REPELLENT - Water-resistant material and zip.

MESH POCKET - Integral and quick to access.

Ref. 7026 - 7027





\$

— Z LIGHT PACK -

- > **TYPE** Saddle bags
- > MATERIAL Polyester 420 D Ripstop
- > DIMENSIONS

XS:130 x 60 x 60 mm S:140 x 70 x 65 mm M:180 x 95 x 70 mm L:220 x 95 x 90 mm

- **WEIGHT** 34 g, 58 g, 95 g, 105 g
- > **MOUNTING** Self gripping straps
- > CAPACITY

XS: 0,3 L / 18 c.i S: 0,5 L / 28 c.i M: 0.9 L / 54 c.i L: 1,4 L / 83 c.i

> CLOSING Water repellent zip

— IRON PACK 2 DS —

- > **TYPE** Saddle bags
- > MATERIAL Polyester 420D TPU
- > DIMENSIONS

S:160 x 70 x 75 mm M:175 x 90 x 95 mm

- **WEIGHT** 100 g / 135 g
- > **MOUNTING** Double self gripping straps
- > CAPACITY 0,5L / 0,9L
- > CLOSING Water repellent zip

ZADVENTURE R5

Ref. 7005

WATERPROOF 5L SADDLE BAG

+

WATERPROOF - Heat-sealed waterproof material.

LARGE LOAD VOLUME - Load volume of 5L. Ideal for long outings.

DURABLE - Reinforced material at the mounting points to avoid rubbing and the risk of tearing.

UNIVERSAL - Adjustable and durable self-adhesive straps.

EXTERNAL STRAPS - For the quick attaching and storing of additional items.



ZADVENTURE R11 & R17

// WATERPROOF SADDLE BAG WITH LARGE VOLUME



WATERPROOF - Heat-sealed waterproof material.

LARGE LOAD VOLUME - Adjustable from 5 to 11 L.

SUSTAINABLE - Reinforced material at the mounting points to avoid rubbing and the risk of tearing.

UNIVERSAL - Adjustable and durable self-adhesive straps.

ELASTIC CORD - For the quick attaching and storing of additional items.

Ref. 7001 & 7002



*

Z ADVENTURE R5 —

- ZABVENTORERS
- > MATERIAL Polyester 420D + TPU + Hypalon
- > **DIMENSIONS** 370 x 70-175 x 130 mm

> TYPE Saddle bags

- > **WEIGHT** 400 g
- > **MOUNTING**Self gripping straps
- > CAPACITY 5 L
- > CLOSING Roll top
- > MAXIMUM LOAD 3 kg

ZADVENTURE R11 ———

- > TYPE Saddle bags
- > MATERIAL TPU 420D (+ Polyester 640D + Hypalon)
- > **DIMENSIONS** 560 x 150 x 170 mm / 22 x 5.9 x 6.7"
- > **WEIGHT** 525 g
- > **MOUNTING**Self gripping straps
- > **VOLUME** 11 L
- > FERMETURE Roll top
- > MAXIMUM LOAD 5 kg

____ Z ADVENTURE R17 ____

- > **TYPE** Saddle bags
- > MATERIAL TPU 420D (+ Polyester 640D + Hypalon)
- > DIMENSIONS 620 x 240 x 200 mm / 24.4 x 9.4 x 7.9"
- **> WEIGHT** 675 g
- > **MOUNTING**Self gripping straps
- > **VOLUME** 17 L
- > CLOSING
 Roll top
- > MAXIMUM LOAD 5 kg

ZTRAVELER S20 & S30

Ref. 7100 - 7101

// BIKE PANNIERS

The ZTRAVELER S20 and ZTRAVELER S30 are a universal, waterproof bike panniers. IPX4 certified, they have been designed to accompany touring cyclists and bike commuters looking to carry large volumes.

their large 20 or 30-litre capacity and hard-wearing 600D polyester construction will give you peace of mind on your daily commute or on longer bike adventures. Functional and practical, these panniers features the universal Z Quick Mount system. It's quick to mount and remove, while the 2 lower hooks ensure stability. Its inside pocket provides quick access to essentials such as keys and wallet.



QUICK MOUNT SYSTEM - Panniers can be fitted and removed quickly, and double bottom hooks provide extra support.

WATERPROOF - The contents of the pannier stay dry thanks to IPX4 certification.

UNIVERSAL - Designed to fit most bike racks.

RESISTANCE - Its 600D polyester construction and reinforcements make it highly resistant to impact and abrasion.

LARGE VOLUME - For carrying clothes, hygiene products, camping gear or travel accessories.







Ø

S20

> **MATERIAL** Welded 600D polyester + internal TPU coating

- > **DIMENSIONS** 330 x 160 x 380 mm
- > **WEIGHT** 995 g
- > **MOUNTING** Z Quick Mount for tubes Ø 8 to 16 mm
- > **VOLUME** 20 L
- > CLOSURE Velcro® + clip
- > WATERPROOFING IPX4

_____ 5.

- MATERIAL Welded 600D polyester + internal TPU coating
- > **DIMENSIONS** 340 x 210 x 430 mm
- > **WEIGHT** 1100 g
- > **MOUNTING** Z Quick Mount for tubes Ø 8 to 16 mm
- > **VOLUME** 30 L
- > CLOSURE Velcro® + clip
- > WATERPROOFING IPX4

URBAN MESSENGER BAG

Ref. 7058

// BIKE SHOULDER BAG



ECOLOGICAL AND SUSTAINABLE MATERIAL - RPET, recycled from plastic bottles.

CONVERTIBLE INTO A BICYCLE RACK BAG -

Universal attachment for transport on rear rack.

PRACTICAL - Inside: one main compartment, one small pocket and straps for a water bottle. Outside: a small pocket and a shoulder strap storage system.

WATERPROOF - Rain cover included with practical storage underneath the bag.

MINIMALIST AND STYLISH DESIGN - Equipped with Christophe leather straps, signature product of Zéfal.







URBAN BACKPACK

Ref. 7057

// URBAN BIKE BACKPACK



ECOLOGICAL AND SUSTAINABLE MATERIAL

- RPET, recycled from plastic bottles.

CONVERTIBLE INTO A BICYCLE RACK BAG -

Universal attachment for transport on rear rack.

PRACTICAL - Several external storage compartments, double access to main pocket, straps for a U-shaped lock.

WATERPROOF - Roll-up closure, waterproof zips and rain cover included with practical storage of it.

MINIMALIST AND STYLISH DESIGN - Equipped with Christophe leather straps, signature product of Zéfal.





\$

URBAN MESSENGER BAG

- > MATERIAL RPET
- > **MOUNTING** rack mount up to Ø20mm tube + shoulder strap
- > CAPACITY 11 L
- > **CLOSING** Water repellent zip + magnet
- > **DIMENSIONS** 350 x 300 x 130 mm
- > **WEIGHT** 840 g

URBAN BACKPACK

- > MATERIAL RPET
- > **MOUNTING** rack mount up to Ø20mm tube + shoulder strap
- > CAPACITY 27 L
- > CLOSING Water repellent zip + leather strap
- > **DIMENSIONS** 300 x 450 x 130 mm
- > **WEIGHT** 1,18 kg

ZTRAVELER 40

Ref. 7039C

// REAR BAG



UNIVERSAL MOUNTING - For all types of pannier racks.

TOOLS FREE - No tools required for assembling.

RESISTANT MATERIAL - Made from a highly resistant fabric.

WATER RESISTANT - Rain cover.

REFLECTIVE STRIPES - Better visibility of the bike.



ZTRAVELER 60

Ref. 7039A

// REAR BAG



LARGE VOLUME - Bag with one main extendable pocket. LIGHT MOUNT - Increase the security at night.



ZTRAVELER 80

Ref. 7039B

// REAR BAG WITH MODULAR VOLUME



REINFORCED SIDE POCKETS - The foldout side pockets are made from EVA shells.



Z TRAVELER 40 ——

- > MATERIAL Polyurethane 600D
- > MOUNTING Universal using Velcro®
- > CAPACITY 9 L
- > CLOSING
 - Water repellent zip
- > DIMENSIONS 310 x 160 x 180 mm
- > **WEIGHT** 450 g

_____ ZTRAVELER 60 _____ ZTRAVELER 80 ____

> MATERIAL Polyester 840D

- > MOUNTING Self gripping straps
- > CAPACITY 20 L
- > **CLOSING** Clip-on buckles
- > DIMENSIONS 320 x 180 x 220 mm
- > **WEIGHT** 710 g

- > MATERIAL Polyester 840D
- > MOUNTING Universal using Velcro®
- > CAPACITY 8L 32 L
- > CLOSING
- Water repellent zip
- > DIMENSIONS 320 x 230 x 215 mm
- > WEIGHT 1 kg

RAIDER FRONT

Ref. 7510

// FRONT RACK



ALL IN ALUMINIUM - Durability, lightweight and high resistance to corrosion.

ADJUSTABLE - Can suit different types of bikes.



RAIDER 30

Ref. 7570

// LUGGAGE RACK FOR SEATPOST



ALL IN ALUMINIUM - Durability, lightweight and high resistance to corrosion.

ADJUSTABLE - Can suit different types of bikes.

TOOLS FREE - Easy and quick installation.

SIDE STRUCTURES - Good holding of bags.



O

---- RAIDER FRONT -

> MATERIAL

High resistant hollow aluminium 6061 structure

> SELF SIZE

300 x 295 mm

> WHEEL DIAMETER

26", 27.5", 28", 29"

> MOUNTING

On fork from Ø 25 to 42 mm

> MAXIMUM LOAD

 $Max.\,2\,x\,9kg$

(complying with ISO 11243:2016 standard)

> DIMENSIONS

172 x 391 x 400 mm

> WEIGHT

750 g

—— RAIDER R30 —

> MATERIAL

High resistant hollow aluminium 6061 structure

> PLATFORM DIMENSIONS

120 x 335 mm

> WHEEL DIAMETER

26" - 27.5" - 28" - 29"

> MOUNTING

On the seat post from Ø 25.4 to 31.8 mm

> MAXIMUM LOAD

Max. 10 kg (complying with ISO 11243:2016 standard)

DIMENSIONS

140 x 550 x 153 mm

> WEIGHT

910 g

RAIDER R50 Ref. 7541

// REAR RACK



ALL IN ALUMINIUM - Durability, lightweight and high resistance to corrosion.

ADJUSTABLE - Suitable for all types of bikes except some models with disc brakes.

CHILD SEAT COMPATIBLE - The RAIDER R50 is compatible with an approved child seat, up to a maximum total load of 27kg.

HOOKS - For tensioners.



RAIDER R70

Ref. 7542

// UNIVERSAL REAR RACK



COMPATIBLE WITH DISC BRAKES - Adaptable product - can be used with disc brakes.

ALL IN ALUMINIUM - Durability, lightweight and high resistance to corrosion.

CHILD SEAT COMPATIBLE - The RAIDER R70 is compatible with an approved child seat, up to a maximum total load of 27kg.

HOOKS - For tensioners.

SIDE STRUCTURES - Good holding of bags.



— RAIDER R50 —

- > MATERIAL High resistant hollow aluminium 6061 structure
- > PLATFORM DIMENSIONS 120 x 350 mm
- **> WHEEL DIAMETER** 26", 27.5", 28", 29"
- > **MOUNTING** Threaded studs
- > MAXIMUM LOAD Max.27 kg (complying with ISO 11243:2016 standard)
- **DIMENSIONS** 164 x 400 x 400 mm
- **> WEIGHT** 765 g

— RAIDER R70 —

- > MATERIAL High resistant hollow aluminium 6061 structure
- > PLATFORM DIMENSIONS 120 x 350 mm
- > WHEEL DIAMETER 26", 27.5", 28", 29"
- > **MOUNTING** Threaded studs
- > MAXIMUM LOAD Max.27 kg (complying with ISO 11243:2016 standard)
- > **DIMENSIONS** 185 x 400 x 400 mm
- **WEIGHT** 1,1 kg

ZCONSOLE Ref. 7052A - 7052B

WATERPROOF SMARTPHONE HOLDER



WATERTIGHT - Protects the smartphone from rain, mud and any other impacts.

UNIVERSAL - Compatible with all smartphones.

TOUCH SCREEN WINDOW - Still use your smartphone through the

CAMERA WINDOW - Possible to take videos and photos through the transparent window.

DUAL ORIENTATION OF THE SMARTPHONE - Adjustable angle in landscape or portrait mode.



UNIVERSAL PHONE HOLDFR



UNIVERSAL BIKE SMARTPHONE HOLDER

The Universal Phone Holder is a universal smartphone holder. It's ideal for commuters and touring cyclists who want to keep their device safely within reach while riding. The holder is easily attached to the handlebars or stem using a sturdy, adjustable silicone strap. It can also be left permanently on the bike.

The adjustable clamp allows quick installation and a firm hold for your smartphone, whatever its size.

Once installed, your phone is securely fastened and you can use it with one hand in portrait or landscape mode.





UNIVERSAL - Holder compatible with all smartphones and all standard handlebars.

USE - The smartphone is easily attached and removed.

ROBUST - Soft contacts and silicone fastening absorb vibrations and protect the smartphone.

ACCESSIBLE - Lock and unlock your phone with one hand in a second.

ROTATING SUPPORT - Easy to switch between landscape and portrait mode.

— Z CONSOLE DRY —

— UNIVERSAL PHONE HOLDER ———

- > MATERIAL TPU 420D
- > MAXIMAL SIZE OF THE SMARTPHONE

M: 150 x 72 x 10 mm L: 170 x 84 x 10 mm

- > SIZE OF THE WINDOW
 - 130 x 62 mm / 150 x 68 mm
- > MOUNTING Z Bike Mount (with 4 o-rings (Ø 2 x 33 mm et Ø 2 x 36 mm))
- > WATERPROOF
- **DIMENSIONS** 172 x 391 x 400 mm
- **> WEIGHT** 47 g / 54 g

- > MATERIAL Thermoplastic + silicone
- > PHONE COMPATIBILITY Width 60 mm to 100 mm
- > MOUNTING With silicone strap on Ø 22 to 38 mm
- **> DIMENSIONS** 75 x 40 x 65 mm
- **> WEIGHT** 75 g



Ref. 7035

// BIKE TOW ROPE

This bike tow rope has been designed to make family cycling, especially mountain biking, more fun and enjoyable for everyone. The Bike Taxi is only to be used on paths, where it is easy to take your child up climbs and thus eliminate physical differences.

The Bike Taxi is simply installed on the saddle rails of the person towing and is very quick to attach to the stem of the towed bike. Once at the top, the child can easily unhook it. The rope is made of high density polyethylene fibre, which is highly resistant to abrasion, and is self-retracting, without risk.

The Bike Taxi is suitable for all types of bicycles and the person towing can use an F-bike



UNIVERSAL - For all standard saddle rails.

EASY TO INSTALL - No tools required.

EASY TO HANDLE - Fast attachment and detachment.

SAFE - High-performance reel with complete return of the wire.

LIGHTWEIGHT AND COMPACT - Discreet, under the saddle, for only 140 g.





BIKE TAXI ADAPTER

Ref. 7038

QUILL STEM ADAPTER FOR BIKE TAXI TOW ROPE

The Bike Taxi Adapter is an accessory specially designed to enable the Bike Taxi tow rope to be used on a bike fitted with a quill stem or any other type of smooth stem with no exposed bolts.

It can be fitted quickly and easily to the handlebars of the bike to be towed, without the need for tools. Once in place, the Bike Taxi loop attaches to the adapter, allowing the rider of the towed bike to break the connection at any time. The adapter remains in place on the handlebars, while the buckle retracts automatically and safely.



UNIVERSAL - Handlebars from 22.2 mm to 25.4 mm.

EASYTO INSTALL - No tools required.

EASYTO HANDLE - Fast attachment and detachment.

SAFE - The towing cable remains free.

LIGHTWEIGHT AND COMPACT - Discreet, under the saddle, for only 50 g.





— BIKETAXI -

- > **MATERIAL** Polyamide. Rope: high density polyethylene
- > DIMENSIONS (Lx (x h) 85 x 70 x 47 mm
- > ROPE LENGTH 2 m
- **> WEIGHT** 140 g
- > MAXIMUM LOAD 95 kg

— BIKE TAXI ADAPTER —

- > **MATERIAL** Polymer
- **DIMENSIONS** 92 x 61 x 49 mm
- **> WEIGHT** 50 g
- > MAXIMUM LOAD 95 kg





INFLATION

ZÉFAL MT. MINI

Ref. 8470

// MTB MINI-PUMP

The Zéfal Mt. Mini is a mini pump ideal for inflating all types of mountain bike tyres (from 2.0» to 3.0» wide and regardless of the wheel diameter, 29», 27.5» or even 26»). Mountain bike tyres require a large volume of inflation at low pressures. With an optimized inflation chamber and a direct hose connection, the Zéfal Mt. Mini has all the advantages for quickly reinflating your mountain bike after a puncture.



ALL ALUMINIUM - Robust and light.

DIRECT CONNECTION WITH LEVER - Guaranteed airtightness for easy inflation.

FLEXIBLE CONNECTION - Allows inflation from farther away to prevent damage to the valve stem.

LOCK MAGNET - Magnetic closure, quicker and easier.

MOUNTING CLIP - Bike mounting clip included.



- > **TIRE WIDTH** 2.0" 3.0"
- > **CONNECTION**Reversible Presta / Schrader
- > **WEIGHT** 208 g
- > MOUNTING

Clip universel (ref. 1095)

- > DIMENSIONS
 - 230 mm x 35 mm x 44 mm
- > MATERIAL Aluminium
- > MAXIMUM PRESSURE

4 Bar / 58 psi





ZÉFAL ROAD MINI & MICRO

// MINI-PUMP FOR ROAD BIKE



ALL ALUMINIUM - Robust and light.

DIRECT CONNECTION WITH LEVER - Guaranteed airtightness for easy inflation.

LOCKING HANDLE - Flexible ring.

MOUNTING CLIP - Bike mounting clip included.

+ MICRO

COMPACT AND LIGHTWEIGHT - Most compact mini pump in the







Ref. 8480

Ref. 8490

> TIRE WIDTH 23 - 32 mm

> CONNECTION Reversible Presta / Schrader

- > WEIGHT 117 g
- > MOUNTING
- Clip (1110B)
- > DIMENSIONS 230mm x 25mm x 32 mm
- > MATERIAL Aluminium
- > MAXIMUM PRESSURE 8 Bar / 116 psi

— MICRO —

- > TIRE WIDTH
 - 23 32 mm
- > CONNECTION

Reversible Presta / Schrader

- > WEIGHT 95 g
- > MOUNTING Clip (ref. 1095)
- > DIMENSIONS 165 mm x 25 mm x 32 mm
- > MATERIAL Aluminium
- > MAXIMUM PRESSURE 7 Bar / 100 psi

ZÉFAL GRAVEL MINI

Ref. 8500

// MINI-PUMP FOR GRAVEL BIKES



ALL ALUMINIUM - Robust and light.

LOCK MAGNET - Magnetic closure, quicker and easier.

MUD PROTECTION - Prevents dirt and stays clean.

FLEXIBLE CONNECTION - Allows inflation from farther away to prevent damage to the valve stem.

MOUNTING CLIP - Bike mounting clip included.



ZÉFAL SWITCH MINI

Ref. 8460

// VERSATILE MINI-PUMP



Z-SWITCH SYSTEM - Easy change from Presta to Schrader or Dunlop via a simple switch.

ALUMINIUM - Robust and light.

DIRECT CONNECTION WITH LEVER - Guaranteed airtightness for easy inflation.

LOCKING HANDLE - Flexible ring.

MOUNTING CLIP - Bike mounting clip included.





Ô

- > TIRE WIDTH
 - 35 47 mm
- > CONNECTION Z-Turn (Presta - Schrader)
- > WEIGHT
 - 105 g
- > MOUNTING

Clip universel (ref. 8443)

- > DIMENSIONS
 - 180 mm x 34.5 mm x 24.5 mm
- > MATERIAL
 - Aluminium
- > MAXIMUM PRESSURE 5.5 bar / 80 psi

----- SWITCH MINI -

- > TIRE WIDTH
 - 35 47 mm
- > CONNECTION

Z-Switch (Presta - Schrader - Dunlop)

- > WEIGHT
 - 110 g
- > MOUNTING
- Clip (1110B)

 > DIMENSIONS
- 200 mm x 33 mm x 28.5 mm
- > MATERIAL HANDLE / BARREL Thermoplastic / Aluminium
- > MAXIMUM PRESSURE 5.5 bar / 80 psi

EZ MAX FC

Ref. 4080

// CO2 INFLATOR AND MINI-PUMP



Z-TURN SYSTEM - Reversible, screwable connection, intuitive and compact. Allows for remote inflation ensuring valve safety.

UNIVERSEL - Compatible with Schrader and Presta valves.

LOCK MAGNET - Magnetic closure, quicker and easier.

PROTECTIVE COATING - Protection against cold made by the cartridge and for a better comfort.

2 IN 1 - CO2 inflator and mini-pump. Easy and quick inflation.



EZ BIG SHOT

Ref. 4051

Ref. 4052

CONTROL DRIVE CO2 INFLATOR



Z-PUSH SYSTEM - For an accurate and easy flow regulation. The cartridge will be empty only when the pump comes into contact with the valve.

UNIVERSAL - Compatible with Schrader, Presta and Dunlop valves.

LIGHT - Only 20g.

PROTECTIVE COATING - Protection against the cold made by the cartridge and for a better comfort.



CO2 HOLDER

Ref. 1071

// HOLDER FOR CO2 INFLATOR AND CARTRIDGE





— EZ MAX FC -

- > WEIGHT (WITHOUT CARTRIDGE)
- > **DIMENSIONS** 190 x 15 x 15 mm
- > COMPATIBLE
 CARTRIDGE TYPE
 12 o 16 o and 25 o thro

> **CONNECTION** Z-Turn

12 g, 16 g and 25 g threaded

- > CARTRIDGE INCLUDED
 16g threaded cartridge
- > MOUNTING Flexible fastening clip
- > PRESSION MAX 8 bar / 116 psi

— EZ BIG SHOT -

- > **CONNECTION** Z-Push
- > WEIGHT (WITHOUT CARTRIDGE)
 20 a
- > MATERIAL Aluminium
- > **DIMENSIONS** 40 x 30 x 16 mm
- > COMPATIBLE CARTRIDGE TYPE 12 g, 16 g and 25 g threaded
- > CARTRIDGE INCLUDED
 16g threaded cartridge
- > AIR REGULATION
- > MOUNTING Not included

EZ CONTROL FC

Ref. 4040

|| CO2 PUMPS WITH FLEXIBLE CONNECTION



EZ CONTROL

Ref. 4015

|| CO2 INFLATOR WITH AIR CONTROLSYSTEM



EZ ADAPTOR

Ref. 4005

// UNIVERSAL CO2 INLFATOR



CO2

// CO2 CARTRIDGE

	16 G	25 G
CONNECTION	Threaded	Threaded
DISPLAY (QUANTITY)	4160C(x20)	4250C(x20)
BOX (QUANTITY)	4160B(x2)	4250D(x2)



\$

— EZ CONTROL FC ——

—— EZ ADAPTOR ——

- > **CONNECTION** Z-Flow
- > WEIGHT (WITHOUT CARTRIDGE)
 32 a
- > **MATERIAL** Aluminium with reinforced rubber hose.
- **DIMENSIONS** 120 x 15 x 15 mm
- > COMPATIBLE CARTRIDGE TYPE 12 g, 16 g and 25 g threaded
- > CARTRIDGE INCLUDED
 16g threaded cartridge
- > **MOUNTING** Not included

> **CONNECTION** Z-Flow

EZ CONTROL

- > WEIGHT (WITHOUT CARTRIDGE) 20 g
- > MATERIAL Aluminium
- **DIMENSIONS** 46 x 15 x 15 mm
- > COMPATIBLE CARTRIDGE TYPE 12 g, 16 g and 25 g threaded
- > CARTRIDGE INCLUDED
 16g threaded cartridge
- > AIR REGULATION
- > **MOUNTING** Not included

- > **CONNECTION** Direct
- > WEIGHT (WITHOUT CARTRIDGE)
 10 a
- > MATERIAL Aluminium
- **> DIMENSIONS** 37 x 15 x 15 mm
- > COMPATIBLE CARTRIDGE TYPE 12 g, 16 g and 25 g threaded
- > CARTRIDGE INCLUDED
 16g threaded cartridge
- > **MOUNTING** Not included

Z SHOCK

Ref. 0661

// MTB SHOCK PUMP



PERFORMANCE AND PRECISION - The two-step connection guarantees precise inflation without the risk of air leaks.

ALL ALUMINIUM - Durable, lightweight and resistant to corrosion.

INTEGRATED PRESSURE GAUGE AND PRESSURE REGULATORAccurate inflation, easy to read and to adjust.

COMFORT - Ergonomic handles for a good grip.

UNIVERSAL - System compatible with all types of shock absorbers.



TUBELESS TANK

Ref. 4300

// TUBELESS AIR TANK



 $\ensuremath{\textit{BOOSTAIR}}$ $\ensuremath{\textit{SYSTEM}}$ - Instant inflation and rapid fit of tubeless tyre onto rim.

VALVE TOOL SUPPLIED - For removing Presta valves.

DIRECT CONNECTION - Direct connection without any loss of flow

AUTONOMOUS - Does not require electricity. Environmentally friendly and silent.

EASY TO CARRY - Ergonomic handle.



*

---- Z SHOCK -

- > **WEIGHT** 235 g
- > MOUNTING No
- > **DIMENSIONS** 295 x 95 x 55 mm
- > MATERIAL Aluminium
- > MAXIMUM PRESSURE 25 bar / 360 psi
- > MUD PROTECTION No
- > GAUGE DIAMETER Ø 40 mm

——— TUBELESS TANK —

- > **CONNECTION** Direct Presta
- > **WEIGHT** 1,6 kg
- > MATERIAL Thermoplastic ABS
- > FINISH Polished
- > **HOSE LENGH** 1000 mm / 39"
- > **RECOMMENDED PRESSURE** 10 bar / 145 psi
- MAX. RECOMMENDED PRESSURE 16 bar / 230 psi
- > TANK Aluminium
- > TANK CAPACITY 1 L



PROFIL MAX FP65

Ref. 0868 / 1868

// FLOOR PUMP WITH A DIGITAL GAUGE



HANDLE MADE FROM WOOD SOURCED IN FRANCE - Wood sourced from sustainable forests. Robust and high-quality.

DIGITAL PRESSURE GAUGE - Accurate (+/-1%) and legible pressure measurement (0.1 Bar / 1 PSI). Low battery indicator.

LARGE REINFORCED BASE - Reinforced material providing a high level of rigidity.

INTEGRATED LOCKING HOOK - For handle and hose.

- Z-SWITCH SYSTEM Easy change from Presta to Schrader or Dunlop via a simple switch.
- Z-TURN Screw-on intuitive connection, compatible with Presta and Schrader valves.



PROFIL MAX FP60

Ref. 0866 / 1866

// UNIVERSAL FLOOR PUMP



HANDLE MADE FROM WOOD SOURCED IN FRANCE - Wood sourced from sustainable forests. Robust and high-quality.

GAUGE WITH MAGNIFYING LENS - Easier gauge reading.

LARGE REINFORCED BASE - Reinforced material providing a high level of rigidity.

INTEGRATED LOCKING HOOK - For handle and hose.

- Z-SWITCH SYSTEM Easy change from Presta to Schrader or Dunlop via a simple switch.
- Z-TURN Screw-on intuitive connection, compatible with Presta and Schrader valves.



*

— FP65 & FP60 —

- > CONNECTION Z-Switch / Z-Turn
- > **WEIGHT** 1,1 kg
- > DIMENSIONS

678 mm x 272 mm x 162 mm

- > HANDLE MATERIAL
 Natural beech wood
- > BARREL MATERIAL Anodised aluminium
- > **BASE MATERIAL**Reinforced composite
- > HOSE LENGTH 1100 mm
- > GAUGE DIAMETER Ø 70 mm
- > MAXIMUM PRESSURE 12 bar





> **FP60:** Ref. 1866

> FP65: Ref. 1868



Z-SWITCH

> **FP60**: Ref. 0866 > **FP65**: Ref. 0868

PROFIL MAX FP30

Ref. 0864

// UNIVERSAL FLOOR PUMP



Z-SWITCH SYSTEM - Easy change from Presta to Schrader or Dunlop via a simple switch.

LONG HOSE - Access to the valve easier.

GAUGE WITH MAGNIFYING LENS - Easier gauge reading.

INTEGRATED LOCKING HOOK - For handle and hose.

ADDED FEATURES - Ball and bladder heads.



PROFIL MAX FP20

Ref. 0862

// FLOOR PUMP WITH A WIDE GAUGE & A Z-SWITCH INTUITIVE CONNECTION



Z-SWITCH SYSTEM - Easy change from Presta to Schrader or Dunlop via a simple switch.

WIDE GAUGE - Precise inflation via highly visible gauge.

STEEL BASE - Better stability.

ADDED FEATURES - Ball and bladder heads.



\$

— FP30

- > **CONNECTION** Z-Switch
- > **WEIGHT** 1,3 kg
- > **DIMENSIONS** 650 mm x 270 mm x 160 mm
- > HANDLE MATERIAL Technopolymer
- > BARREL MATERIAL Steel
- > BASE MATERIAL Composite
- > HOSE LENGTH 1100 mm
- > GAUGE DIAMETER Ø 63 mm
- > MAXIMUM PRESSURE 11 bar

— FP20

- > **CONNECTION** Z-Switch
- > **WEIGHT** 1,2 kg
- > **DIMENSIONS** 650 mm x 270 mm x 160 mm
- > HANDLE MATERIAL Technopolymer
- > BARREL MATERIAL Steel
- > BASE MATERIAL Steel + pads
- > HOSE LENGTH 800 mm
- > GAUGE DIAMETER Ø 72 mm
- > MAXIMUM PRESSURE 9 bar



// MAINTAIN

BIKE SHAMPOO

Ref. 9974

// CONCENTRATED BIKE CLEANER WITH ECOCERT ECODETERGENT LABEL



30 WASHES - On average, 1L of product is sufficient for 10 washes.

ECOCERT - Certification guarantees and promotes best social and environmental practice.

VERSATILE - Can be used safely on all surfaces of your bike.

SPRAYER - Its dual position allows it to produce an active washing foam or to spray the parts to be cleaned.

REUSABLE BOTTLE - Made from recycled plastic, it can be reused with Bike Shampoo Refill.





- > CAPACITY
- > CONTAINER Bottle 1 L
- > FEATURES

Content: less than 5%: non-ionic surfactants, amphoteric surfactants. Also contains: water, sequestrant, carbonate salts. 99% of all ingredients are of natural origin.





BIKE SHAMPOO REFILL

Ref. 9975

// REFILL OF CONCENTRATE BIKE CLEANER
WITH ECOCERT ECODETERGENT LABEL



- > CAPACITY
- 1 L
- > **CONTAINER** 300 ml



BIKE DEGREASER

Ref. 9982

// BIKE DEGREASER



DOUBLE ACTION - Detergent and degreasing action.

SAFE FOR THE ENVIRONMENT - 100% biodegradable according to OECD 302B test conditions.

QUICK CLEANING - Removes stains quickly and effectively.

BIG CAPACITY - 1 Litre capacity giving greater number of

SPRAY - Allows quick and accurate spraying of the parts to be cleaned.





DISC BRAKE CLEANER

Ref. 9986

// DISC BRAKE CLEANER



BETTER BRAKING WITHOUT THE NOISE - Re-establishes original performance.

LIFE SPAN - Prolongs the lifespan of the brakes.

QUICK DRYING - Fast cleaning without any residue.

ACETONE AND CMR-FREE - Guaranteed no risk to plastic or painted parts.







BIKE DEGREASER -

> CAPACITY

11

> CONTAINER Bottle

> FEATURES

10% or more: Water

1% < 10% : Non-ionic surfactants 1% < 10% : Calcium salts 0,1% < 1% : Sodium carbonate 0,1% < 1% : Amphoteric surfactants

0,1% < 1% : Perfumes

> DIMENSIONS

310 mm x 100 mm x 76 mm

DISC BRAKE CLEANER —

> CAPACITY

400 ml

> CONTAINER

Aerosol

> FEATURES

Acetone and CMR-Free. Contains Hydrocarbons, C8-C9, isoalkanes.

> DIMENSIONS

252 mm x 57 mm x 57 mm

ZB CLEAN

Ref. 1193

// 3 IN 1 BRUSH FOR TRANSMISSION



DUAL MATERIAL HANDLE - Ergonomic and non-slippery. **LARGE BRUSH** - Ideal for cleaning the chain and freewheel. **SMALL BRUSH** - Perfect for derailleur and bearing. **SCRAPER** - Scraper for an accurate cleaning of the free-wheel (compatible 8-9-10-11-12 gears).



ZB TWIST

Ref. 1194

// DOUBLE-HEADED BRUSH



DUAL MATERIAL HANDLE - Ergonomic and non-slippery. **ADJUSTABLE DOUBLE HEAD** - Suitable positions for cleaning.



ZB WASH

Ref. 1191

II BRUSH FOR CLEANING THE BIKE



DUAL MATERIAL HANDLE - Ergonomic and non-slippery. **SOFT PARTS** - Do not scratch the frame.



\$

— ZB CLEAN –

- > BRUSH MATERIAL Nylon
- > **HANDLE MATERIAL**Polypropylene
- > **DIMENSIONS** 210 mm / 8,3"
- > **WEIGHT** 90 g

_____ ZB TWIST -

- > **BRUSH MATERIAL** Nylon
- > **HANDLE MATERIAL**Polypropylene
- > **DIMENSIONS** 260 mm / 10.2"
- > **WEIGHT** 109 g

ZB WASH —

- > **BRUSH MATERIAL** Nylon
- > **HANDLE MATERIAL**Polypropylene
- > **DIMENSIONS** 280 mm / 11"
- > WORK SURFACE 150 x 100 mm / 5.9 x 3.9"
- > **WEIGHT** 218 g

EXTRA WET LUBE

// PREMIUM, CERAMIC-BASED LUBRICANT FOR THE CHAIN



ALL CONDITIONS - Effective no matter what the conditions are.

EXCEPTIONAL DURABILITY - Effective over very long distances.

FRICTION REDUCTION - Smoother pedalling and a guieter drivetrain.

HIGHLY WATER RESISTANT - Anti-corrosive properties, prolonging the life of the componentry.

EASY APPLICATION - Drip-regulation safety cap.



EXTRA DRY WAX

// PREMIUM WAX-BASED LUBRICANT



IDEAL IN DRY WEATHER - Outstanding durability.

CLEAN CHAIN - Clean lubrication with this wax.

FRICTION REDUCTION - Smoother pedalling and a guieter drivetrain.

NON-OILY PROTECTIVE FILM - Efficiently repels dust and dirt.

EASY APPLICATION - Drip-regulation safety cap.



EBIKE CHAIN LUBE

// ALL CONDITIONS LUBRICANT FOR EBIKE



SPECIAL EBIKE - Formulated with extreme pressure additives optimised to withstand high engine torque.

EXCEPTIONAL DURABILITY - Effective over very long distances.

ALL CONDITIONS - Effective no matter what the conditions are.

HIGH DEGREE OF ADHESION - Penetrating. Spreads easily over all surfaces.

EASY APPLICATION - Drip-regulation safety cap.



PRO WET I UBF

II BIODEGRADABLE LUBRICANT FOR THE CHAIN



ALL CONDITIONS - Effective no matter what the conditions are.

FRICTION REDUCTION - Smoother pedalling and a quieter drivetrain.

HIGHLY WATER RESISTANT - Anti-corrosive properties, prolonging the life of the componentry.

EASY APPLICATION - Drip-regulation safety cap.




	PRO WET LUBE	EBIKE CHAIN LUBE	EXTRA WET LUBE	EXTRA DRY WAX	
CAPACITY 120 ML	9611	9616	9613	9612	
CAPACITY 10 ML	-	9614			
CONTAINER	Compressible bottle with safety cap.				
WEATHER CONDITIONS	All conditions				
PERFORMANCE	4 5 5		5		
DURABILITY	4,5	5	5	4	
CLEANLINESS	3,5	3.5	3,5	5	











CARBON PASTE

Ref. 9609

// ANTI-SEIZE ASSEMBLY PASTE FOR **CARBON COMPONENTS**



MAKES ASSEMBLY EASIER - The adhesive effect prevents components from being over-tightened.

WATER RESISTANCE - Outstanding resistance to water, salt water, mud, weathering, washing...

ANTI-SEIZE / ANTI-COLD WELDING - Avoids cold welding of carbon to other materials.

PRESERVES FRICTION COMPONENTS - Prevents cracking and therefore reduces noise.

PLANTE BASED - Formulated based on plant-based greases and without microplastics.



Ref. 9608

ANTI-SEIZING COPPER ASSEMBLY PASTE



HARMLESS - Safe for plastics, carbon and rubber.

PRO II GREASE

BIKE GREASE



ANTI RUST AND CORROSION - High protection.

WATERPROOF - Excellent resistance to water, mud, weathering...

STRONG ADHERENCE - Strong adhesion power for fewer uses.





Ref. 9605

Ref. 9640



— CARBON PASTE — COPPER PASTE — PRO II GREASE — PRO II GREATE — PRO II GREATE — PRO II GREATE — PRO II GREATE — PRO II GREATE

> CAPACITY

50 ml

- > CONTAINER Tube
- > FEATURES Microbeads

> CAPACITY

100 ml

- > CONTAINER Tube
- > FEATURES Copper base

- > CAPACITY 150 ml / 1 kg
- > CONTAINER
- Tube > FEATURES Lithium







Z BAR TOOL

Ref. 4310

// MULTI-TOOLS & TUBELESS REPAIR KIT STORED WITHIN THE HANDLEBARS



SLEEK FINISH - Anodised and CNC usined aluminium handlebar end plugs.

EASYTO PULL OUT - Multi-tools accessible with gloves.

COMPLETE MULTI-TOOLS - 11 screws bits

DURABLE - Permanently seals punctures up to 5mm for extended tyre life.

VERSATILE - Integrated tool for tightening the Presta valve core, with valve core supplied and option to attach a spare chain link (link not included).



AFA 8 PLUS

Ref. 9987

// 8-FUNCTION MULTI-TOOL INTEGRATED INTO THE BIKE



DURABLE - Precise CNC machined steel tools with chrome finish.

UNIVERSAL - Support compatible with all types of frames with threaded holes for bottle cages.

EASYACCESS - Multi-tools accessible with gloves.

SECURE - Hinged lid with hook closure.

DISCREET - Compact and lightweight.



Ø

Z BAR TOOL -

Steel and anodised aluminium handlebar end plugs

> DIMENSIONS

> MATERIAL

120 x \emptyset 17.5 mm (excluding end plugs); 143 x \emptyset 17.5 mm (excluding end plugs)

- > **WEIGHT** 67 g + 36 g
- > HANDLEBAR COMPATIBLE Ø intérieur de 17,5 mm à 21 mm
- > **TOOLS INCLUDED** Hex2/2.5/3/4/5/6/8; T10/25; Θ4; Θ2
- > **PLUGS** Oui (3 x Ø 2mm)

— AFA 8 PLUS —

> MATERIAL

Steel and aluminium tools
Fiber reinforced polypropylene holder

- > DIMENSIONS
 - 235 x 56 x 18 mm
- **> WEIGHT** 154 g
- > **TOOLS INCLUDED** Hex2/2.5/3/4/5/6; T25; Θ 5; Chain Tool
- > CHAIN BREAKER 8 to 12 Speed
- > SCREWS INCLUDED M5 x 25 mm

ZBAR PLUGS

Ref. 4301

// TUBELESS REPAIR KIT STORED WITHIN THE HANDLEBARS



SIMPLE TO USE - No need to remove the tyre.

DURABLE - Permanently seals punctures up to 5mm for extended tyre life.

EASY ACCESS - Multi-tools accessible with gloves.

SLEEK FINISH - Anodised and CNC usined aluminium handlebar end plugs.

VERSATILE - Integrated tool for tightening the Presta valve core, with valve core supplied and option to attach a spare chain link (link not included).



TUBELESS REPAIR TOOL

Ref. 4304

|| QUICK REPAIR TOOL FOR TUBELESS TYRES



UNIVERSAL - Support compatible with all types of frames with threaded holes for bottle cages.



TUBELESS PLUGS

Ref. 4305



PLUGS 3 x Ø 2mm + 3 x Ø 4mm



\$

– Z BAR PLUGS –

- > MATERIAL Anodised aluminium handlebar plugs
- > DIMENSIONS

109 mm x Ø 17.5 mm (excluding end plugs); 143 mm x Ø 17.5 mm (excluding end plugs)

- > WEIGHT
 - 39 g + 36 g
- > HANDLEBAR COMPATIBLE

Internal diameter from 17.5 mm to 21 mm

> PLUGS

3 x Ø 2 mm + 3 x Ø 4 mm

TUBELESS REPAIR TOOL -

- > MATERIAL Aluminium, Steel and Polyamide
- > DIMENSIONS

Ø22 mm x 110 mm

- > **WEIGHT** 53 g
- > MAXIMUM PRESSURE 6 Bar / 87 psi
- > PLUGS

3 x Ø2 mm + 2 x Ø 4 mm

TUBELESS REPAIR KIT

Ref. 4302

// REPAIR KIT FOR TUBELESS TYRE



SIMPLE TO USE - No need to remove the tyre.

DURABLE - Permanently seals punctures up to 5mm for extended tyre life.

STORAGE - The box makes it easy to transport in a bag and preserves the plugs over time.

VERSATILE - Integrated tool for tightening the valve core and option to attach a spare chain link (link not included).



REPAIR KIT

// REPAIR KIT





- TUBELESS REPAIR KIT —

- > MATERIAL Steel and Polyamide
- **> WEIGHT** 35 g
- > **DIMENSIONS (LXWXH)** 122 mm x 35 mm x 23 mm
- > **PLUGS** 3 x Ø 2 mm + 3 x Ø 4 mm

– REPAIR KIT –

	REPAIR KIT UNIVERSAL +	REPAIR KIT MTB	REPAIR KIT ROAD	REPAIR KIT UNIVERSAL	EMERGENCY KIT	
REF	1122	1131	1132B	1132A	1135C	
PATCHES	Ø 25 mm x 6 / 24mm x 35 mm x 2	Ø 33 mm x 4 / 30 mm x 50 mm x 2	Ø 15 mm x 6	Ø 25 mm x 6 / 24 mm x 35 mm x 2	Ø 25 mm x 6	
RUBBER CEMENT 5G		Yes No, self-adhesir repair				
GRATER		Yes				
TIRE LEVERS	Yes x 2	No				
DIMENSIONS	122 mm x 35 mm x 23 mm					

Z LEVERS

Ref. 1990A

// TIRE LEVER



DP20

Ref. 2001A - 2001B

// TIRE LEVER



REPAIR SPRAY

REPAIR SPRAY FOR FLAT TYRES: REPAIRS AND REINFLATES INSTANTLY



QUICK AND EASY - No need to change the inner tube whilst out.

COMPATIBLE WITH ALL TYPES OF BIKE - All types of tyres - tubeless or standard with inner tubes.

 $\it EASYTO\ CARRY\ -\ Compact,$ it can be attached to the bike with a mounting system.





— Z LEVERS —

- _____ DP20 -
- MATERIAL Resin technopolymerCOLOUR Red
- **DIMENSIONS** 25 x 98 x 4.5 mm

- > MATERIAL Resin technopolymer
- > COLOUR

2001A: Black / 2001B: Blue, white & red

DIMENSIONS 15 x 110 x 22 mm

----- REPAIR SPRAY -

REF	1127	1126	1128	1129	
CAPACITY	75 ml	100 ml	100 ml	150 ml	
FEATURES	Foam	Foam	Foam	Foam	
DIMENSIONS	35 x 60 x 145 mm	40 x 60 x 145 mm	40 x 60 x 145 mm	50 x 65 x 145 mm	
WEIGHT	90 g	160 g	110 g	160 g	
MOUNTING SYSTEM	-	-	Yes	-	
MAX. TIRE SIZE	700 x 38	29" x 2.25"	29" x 2.25"	29" x 3.0	

Z SEALANT

Ref. 9801 - 9802 - 9821 - 9831

// ANTI-PUNCTURE SEALANT



CONTAINS LESS THAN 1% AMMONIA - Won't damage your tires.

EASY TOUSE - Injected into the valve or directly into a tubeless tire.



TUBELESS TAPES

// TUBELESS RIM TAPES



SIMPLIFIED FITTING - Slightly elastic tapes.

DURABILITY - Very good pressure resistance. Minimised infiltration risk.





---- Z SEALANT ---

FEATURES	CAPACITY	CONTAINER	TIRES NUMBERS (ROAD, GRAVEL, MTB)*			REF.
Less than 1% ammonia	125 ml	Flask	3	2	1	9801
	240 ml	Flask	5	4	3	9802
	1L	Bottle	22	17	11	9821
	5 L	Jerrycan	110	83	55	9831

*Road: 700x25, Gravel: 700x40, MTB: 29"x2,6"

— TUBELESS TAPES —

MATERIAL		Elastomer adhesive				
COLOR		Red				
	REF	TAPE	RIMS			
	9395	20 mm	17-21 mm			
	9400	20 111111	17-21111111			
	9396	25 mm	22-26 mm			
WIDTH	9401					
	9397	30 mm	27-32 mm 			
	9402	36 11111				
	9398	36 mm				
	9403	36 11111	33 33 11111			
	REF	TAPE				
LENGTH	9395-9398	9 m	1			
	9400-9403	50 m				



COTTON RIM TAPES

// COTTON RIM TAPES

+

RESISTANT TO HIGH PRESSURE - The cotton material resists to pressure and high temperatures (braking). **QUICK MOUNTING** - Easy and quick installation.



t

2 PIECES PACKAGING	10 PIECES DISPLAY	BULK	100 M ROLL
13 mm : 9145	13 mm : 9142	13 mm : 9144	13 mm : 9143
17 mm : 9153	17 mm : 9151	17 mm : 9150	17 mm : 9154
22 mm : 9104	22 mm : 9102	22 mm : 9105	22 mm : 9103

WEIGHT	13 mm	2 x 14 g	
	17 mm	2 x 18 g	
LENGTH	22 mm	2 x 22 g	
	2 m compatible with 29" and 700c wheels		

Z LINER

Ref. 9722 - 9721 - 9738 - 9723 - 9724

// ANTI-PUNCTURE TAPE

Fed up with flat tyres? The Z Liner is a protective tape made out of highly resistant polyurethane material and provides additional protection against the risk of getting a puncture. The Z Liner is positioned between the inner tube and the tyre to prevent getting a flat tyre. Various sizes are available depending on your tyre width. Sold in pairs. Ride along in peace thanks to the Z liner.

+

MADE FROM POLYURETHANE - Highly resistant to punctures. **HIGH LEVEL OF QUALITY** - Particularly long product lifespan.



*

REF	MATERIAL	WHEEL Ø	COLORS	TAPE WEIGHT	TAPE WIDTH	TYRE WIDTH
9722			Grey	2 x 35 g	19 mm	23 mm, 25 mm, 28 mm
9721		ne All diameters	Orange	2 x 60 g	27 mm	32 mm, 35 mm, 38 mm, 40 mm
9738	Polyurethane		Blue	2 x 90 g	34 mm	45 mm, 47 mm, 2.0", 2.1", 2.2", 2.25"
9723			Purple	2 x 135 g	50 mm	2.4", 2.6", 2.8", 3.0"
9724			Green	2 x 215 g	75 mm	3.0",3.5",4.0" ,4.5"

TOE-CLIPS 43

Ref. 0430 - 0431

II TOE-CLIPS FOR FLAT PEDALS

TOE-CLIPS 45

Ref. 0450 - 0451

HALF TOE-CLIPS FOR FLAT PEDALS



CHRISTOPHE STEEL TOE

CHROME-PLATED STEEL TOE CLIPS

Ref. 0506 - 0507



CHRISTOPHE STE TOE STRAPS 515XL

Ref. 5151

BRAIDED TOE-STRAPS



CHRISTOPHE LEATHER TOE-STRAPS

|| LEATHER TOE-STRAPS



TOE-CLIPS 43 — TOE-CLIPS 45 —

CHRISTOPHE STEEL TOE CLIPS

STEELTOE STRAPS 515XL

> MATERIAL

Technopolymer resin

> PRONGED TOE-CLIP Double

> SIZES

S/M: Eur-42, US-9 #0430 L/XL: Eur-42, US-9 #0431

> MATERIAL

Technopolymer resin

> SIZES

S/M : Eur-42, US-9 #0451 L/XL: Eur-42, US-9 #0450

> MATERIAL

Chrome-plated steel

> PRONGED TOE-CLIP Single with double rivet

> SIZES

S/M: Eur-42, US-9 #0506 L/XL: Eur-42, US-9 #0507

> MATERIAL braided technopolymer

> COLOUR Black

> LENGTH 440 mm

CHRISTOPHE LEATHER TOE _

> MATERIAL

High quality leather

> COLOR Black #5161A Blue #5161D Brown #5161F Red #5161E White #5161B

> LENGHT 370 mm


//

WHY CUSTOMISE YOUR BOTTLES?

Easy to make and affordable, customized bottles can help you to promote your brand, your shop, your sports club... It could also be a great gift and souvenir for your race's attendees.

Screen printing is a technique whereby screens are used to transfer ink onto the bottles. This is our standard printing technique, used on all our bottles. We can print up to 4 colours and we require a minimum order of 250 identical bottles.





ZÉFAL

ZI Les Cailloux - 45150 Jargeau - France Tel.: +33(0)2 38 59 70 45

zefal@zefal.com

ZEFAL SA with a registered capital of 1 137 774 € Trade registry No. 572 029 106 - TVA/VAT: FR 93 572 029 106

Product specifications in this catalog are indicative and are subject to change without any notice. Pictures may differ from actual products.

June 2024 – France. © Photo credit: Ludovic Letot. Antoine Collet, Léo Denis, Kéno Derleyn, Théo Gomez, Créat'ur, Robin Nevrala, Pierre Maullet, Louis Nauche, Margaux Le Map, Olivier Béart. Creation: MAD Brain Studio.